




PRODUCT CATALOGUE 2026

**BUILT
TO LIFT.**

Lifting, hydraulic and workshop equipment
for professionals

463 PRODUCTS

HEAVY WORK, MADE LIGHTER.

Mammuth makes lifting and hydraulic equipment for professional workshops: workshop presses, hydraulic cylinders and pumps, jacks and stands, lift tables and shop cranes, plus transport rollers, pallet trucks, castors and workshop equipment.

CHOOSE WITH MARGIN

Choose a capacity with margin above your heaviest job. Mammuth workshop presses range from 12 to 200 tons, hydraulic cylinders go up to 300 tons, jacks up to 80 tons and transport rollers up to 24 tons. The capacity of every product is listed in this catalogue.

ONE SYSTEM, 700 BAR

Mammuth hydraulic cylinders are designed for a maximum working pressure of 700 bar. Pumps, hoses, couplings and pressure gauges in this catalogue are rated for the same pressure, so the parts work together. Press blocks, gauges and parts are available too.

300 t

hydraulic cylinders

200 t

workshop presses

80 t

jacks

700 bar

working pressure



SOLD THROUGH DEALERS

Mammuth is sold through our dealer network. Your dealer gives advice, shows the equipment up close and supplies parts and service. Use the dealer locator on the Mammuth website to find a dealer near you.

THE RANGE




01

JACKS AND STANDS

65 products

4



02

TRANSPORT ROLLERS AND HANDLING

42 products

23



03

PALLET TRUCKS AND STACKERS

21 products

31



04

WORKSHOP PRESSES

52 products

38



05

MOTORCYCLE LIFTS

18 products

52



06

HYDRAULIC TOOLS

107 products

57




07

WORKSHOP EQUIPMENT

67 products

76



08

LIFT TABLES

5 products

89



09

SHOP CRANES

14 products

92



10

CASTORS AND WHEELS

59 products

98



11

TOOLS AND ACCESSORIES

13 products

106



A-Z

INDEX

PRODUCT CODES

All products by code

111



01



COLLECTION 01 · 65 PRODUCTS

JACKS AND STANDS

Garage jacks, bottle jacks, transmission jacks and jack stands, hydraulic or air-hydraulic, from 300 kg to 80 tons.

80 t

maximum lifting capacity

2-stage

quick lift on selected jacks

Garage jacks 12

Jack hydraulic / pneumatic 11

Jack stands 10

Machine jacks 4

Transmission jacks 5

Steel jacks 3

Bottle jacks 9

Pneumatic jacks 1

Screw jacks 3

Electric scissor jacks 1

Pneumatic bottle jacks 2

Accessories 1

Rubber pads 3

GARAGE JACKS



CAR JACK 3 TON

JG30N

- ✓ Quick lift system
- ✓ Fully steel frame
- ✓ Lightweight (27.8 kg)
- ✓ Bolts/storage compartment on the jack
- ✓ Foam-protected pump handle

Material	Steel
Lifting capacity	3000 kg
Lifting height min.	120 mm
Lifting height max.	450 mm
Platform dimensions	ø110 mm
Pump rod length	990 mm
Wheel material	Steel
Front wheel diameter	ø80 mm



WORKSHOP JACK 10 TON

FJ10H

- ✓ Foot pedal for quick-lift system
- ✓ Controlled lowering speed
- ✓ Adjustable operating arm
- ✓ High load capacity (10 tons)

Lifting capacity	10000 kg
Lifting height min.	160 mm
Lifting height max.	650 mm
Platform dimensions	ø150 mm
Pump rod length	1153 mm
Front wheel diameter	ø141 mm
Rear wheel diameter	ø91 mm
Oil capacity	1.050 L



CAR JACK 1,5 TON ALUMINIUM

FJ15LWA

- ✓ Ultralightweight design (Only 11kg)
- ✓ Extra low minimum height (77mm)
- ✓ Side handle
- ✓ Nylon wheels
- ✓ Includes rubber pad

Material	Aluminium
Lifting capacity	1500 kg
Lifting height min.	77 mm
Lifting height max.	381 mm
Platform dimensions	ø107 mm
Pump rod length	965 mm
Wheel material	Nylon
Front wheel diameter	ø42 mm

MAMMUTH WORKSHOP JACK 5 TON

FJ05H

- ✓ FTL System (Fast to Load)
- ✓ Controlled lowering
- ✓ Adjustable handle
- ✓ 5-ton lifting capacity

Lifting capacity	5000 kg
Lifting height min.	150 mm
Lifting height max.	650 mm
Platform dimensions	ø130 mm
Pump rod length	1153 mm
Front wheel diameter	ø111 mm
Rear wheel diameter	ø71 mm
Material	Steel



CAR JACK 2.5 TON ALUMINUM/STEEL

FJ25HLAS

- ✓ Quick lift system
- ✓ Steel internal structure
- ✓ Lightweight aluminum frame with side handle
- ✓ Foot pedal for quick-lift system
- ✓ Includes extra height adapter

Material	Aluminium / steel
Lifting capacity	2500 kg
Lifting height range	85 - 465 mm (without adapter)
Lifting height range	161 - 541 mm (incl. adapter)
Platform dimensions	ø98 mm
Pump rod length	1125 mm
Wheel material	Nylon
Front wheel diameter	ø66 mm



MAMMUTH CAR JACK 2.5 TON EXTRA LOW

JG25SLN

- ✓ Quick-lift system
- ✓ Fully steel frame
- ✓ Rubber pad and foam protection
- ✓ Built-in storage tray
- ✓ Glass fibre reinforced nylon wheels

Material	Steel
Lifting capacity	2500 kg
Lifting height min.	75 mm
Lifting height max.	510 mm
Platform dimensions	ø100 mm
Pump rod length	1173 mm
Wheel material	Fibreglass-reinforced nylon
Oil type	OHCH15V



CAR JACK 2 TON ALUMINIUM/STEEL

FJ25AS

- ✓ Quick lift system
- ✓ Steel internal structure
- ✓ Lightweight aluminum frame with side handle
- ✓ Nylon wheels
- ✓ Foam protection on the pump handle

Material	Aluminium / steel
Lifting capacity	2000 kg
Lifting height min.	90 mm
Lifting height max.	425 mm
Platform dimensions	ø110 mm
Pump rod length	1150 mm
Wheel material	Nylon
Front wheel diameter	ø66 mm



MAMMUTH CAR JACK 3 TON EXTRA LOW

JG30SLT

- ✓ Quick lift system
- ✓ Fully steel frame
- ✓ Rubber pad and foam protection
- ✓ Ergonomic handle
- ✓ Glass fiber reinforced nylon wheels

Lifting capacity	3000 kg
Lifting height min.	95 mm
Lifting height max.	550 mm
Platform dimensions	ø120 mm
Material	Steel
Pump rod length	1100 mm
Wheel material	Fibreglass-reinforced nylon
Front wheel diameter	ø75 mm



CAR JACK 3 TON EXTRA LOW

JG30SL

- ✓ Dual hydraulic pump
- ✓ Fully steel frame
- ✓ Extra low minimum height (95mm)
- ✓ Extra high lifting height (500mm)
- ✓ Fiberglass-reinforced nylon wheels

Lifting capacity	3000 kg
Lifting height min.	95 mm
Lifting height max.	500 mm
Platform dimensions	ø110 mm
Pump rod length	1150 mm
Wheel material	Fiberglass reinforced nylon
Front wheel diameter	ø75 mm
Rear wheel diameter	ø63 mm



CAR JACK 2 TON EXTRA LOW

JG20SLS

- ✓ Quick lift system
- ✓ Fully steel frame
- ✓ Extra large lifting range (77 to 530mm)
- ✓ Foot pedal for quick-lift system
- ✓ Fiberglass-reinforced nylon wheels

Material	Steel
Lifting capacity	2000 kg
Lifting height min.	75 mm
Lifting height max.	530 mm
Platform dimensions	ø100 mm
Pump rod length	1100 mm
Wheel material	Fiberglass reinforced nylon
Front wheel diameter	ø60 mm



CAR JACK 1,5 TON ALUMINIUM/STEEL

FJ15AS

- ✓ Quick lift system
- ✓ Steel internal structure
- ✓ Lightweight aluminum frame with side handle
- ✓ Foam protection on the pump handle
- ✓ Includes rubber pad

Material	Aluminium / steel
Lifting capacity	1500 kg
Lifting height min.	90 mm
Lifting height max.	350 mm
Platform dimensions	ø97 mm
Pump rod length	950 mm
Wheel material	Steel
Front wheel diameter	ø42 mm



MINIATURE ALUMINUM GARAGE JACK

FJ20LWAMINI

- ✓ Miniature with real functionality
- ✓ Fully made of aluminum
- ✓ Compact and detailed

Material	Aluminium
Lifting capacity	50 kg
Lifting height range	35 - 150 mm
Weight	0.92 kg



JACK HYDRAULIC / PNEUMATIC



PNEUMATIC HYDRAULIC JACK 30T EXTRA HIGH

FJ30AHF

- ✓ Lifting height 771 mm
- ✓ 3-position handle
- ✓ Controlled lowering speed
- ✓ Dead man's control
- ✓ Includes 2 height adapters

Material	Steel
Lifting capacity	30 ton
Lifting height min.	360 mm
Lifting height max.	771 mm
Platform dimensions	ø84 mm
Handle length	1370 mm
Wheel material	Rubber/steel
Wheel diameter	ø208 mm



PNEUMATIC HYDRAULIC JACK 40T - 20T

FJ40AHT

- ✓ Pneumatic
- ✓ 3-position handle
- ✓ Controlled lowering speed
- ✓ Dead man's control
- ✓ Includes 2 height adapters

Material	Steel
Lifting capacity	40 ton / 20 ton
Lifting height min.	150 mm
Lifting height max.	409 mm
Platform dimensions	ø70 mm
Handle length	1300 mm
Wheel material	Rubber/polypropylen
Wheel diameter	ø165 mm



PNEUMATIC HYDRAULIC JACK 30T - 15T

FJ30AHT

- ✓ Mobile
- ✓ Handle with 3 positions
- ✓ Controlled lowering speed
- ✓ Dead man's control
- ✓ Includes 2 height adapters

Material	Steel
Lifting capacity	30 ton / 15 ton
Lifting height min.	150 mm
Lifting height max.	413 mm
Platform dimensions	ø70 mm
Handle length	565 mm - 1280 mm
Wheel material	Rubber/polypropylen
Wheel diameter	ø165 mm

PNEUMATIC HYDRAULIC JACK 50T - 30T - 15T

FJ50AHT

- ✓ Pneumatic
- ✓ Handle with 3 positions
- ✓ Controlled lowering speed
- ✓ Dead man's control
- ✓ Includes 2 height adapters

Material	Steel
Lifting capacity	50 ton / 30 ton / 15 ton
Lifting height min.	150 mm
Lifting height max.	432 mm
Platform dimensions	ø70 mm
Handle length	1370 mm
Wheel material	Rubber/polypropylen
Wheel diameter	ø165 mm



MAMMUTH BATTERY FLOOR JACK 40 - 20 TON WITH BATTERY

FJ40EHTB1

- ✓ Battery-powered
- ✓ Adjustable Handle
- ✓ Controlled Lowering Speed
- ✓ Dead Man's Control
- ✓ LED Lighting

Lifting capacity	40 ton / 20 ton
Lifting height min.	150 mm
Lifting height max.	399 mm
Platform dimensions	ø84 mm
Material	Steel
Wheel material	Rubber / Polypropylene
Wheel diameter	165 mm
Voltage	18V



MAMMUTH BATTERY FLOOR JACK 30 - 15 TON WITH BATTERIES

FJ30EHB1

- ✓ Battery
- ✓ Adjustable handle
- ✓ Controlled bagging speed
- ✓ Dead man operation
- ✓ LED lighting

Lifting capacity	30 ton / 15 ton
Lifting height min.	150 mm
Lifting height max.	418 mm
Platform dimensions	ø70 mm
Handle length	1300 mm
Material	Steel
Wheel material	Rubber / Polypropylene
Wheel diameter	165 mm





PNEUMATIC HYDRAULIC JACK 80T - 50T

FJ80AHT

- ✓ Pneumatic
- ✓ Handle with 3 positions
- ✓ Controlled lowering speed
- ✓ Dead man's control
- ✓ Includes 2 height adapters

Material	Steel
Lifting capacity	80 ton / 50 ton
Lifting height min.	230 mm
Lifting height max.	563 mm
Platform dimensions	ø114 mm
Handle length	1370 mm
Wheel material	Rubber/steel
Wheel diameter	ø208 mm



PNEUMATIC HYDRAULIC JACK 22 TON

FJ22AH

- ✓ Pneumatic
- ✓ Handle with 3 positions
- ✓ Includes height adapters

Material	Steel
Lifting capacity	22 ton
Lifting height min.	226 mm
Lifting height max.	450 mm
Platform dimensions	ø45 mm
Handle length	1165 mm
Wheel material	Steel/polyurethane
Wheel diameter	ø200 mm



MAMMUTH BATTERY FLOOR JACK 30 - 15 TON

FJ30EH

- ✓ Battery-compatible
- ✓ Adjustable handle
- ✓ Controlled bagging speed
- ✓ Dead man's mode
- ✓ LED lighting

Lifting capacity	30 ton / 15 ton
Lifting height min.	150 mm
Lifting height max.	418 mm
Platform dimensions	ø70 mm
Handle length	1300 mm
Material	Steel
Wheel material	Rubber / Polypropylene
Wheel diameter	165 mm

MAMMUTH BATTERY FLOOR JACK 40 - 20 TON (BODY ONLY)

FJ40EHT

- ✓ Battery Compatible
- ✓ Adjustable Handle
- ✓ Controlled Lowering Speed
- ✓ Deadman Control
- ✓ LED Lighting

Lifting capacity	40 ton / 20 ton
Lifting height min.	150 mm
Lifting height max.	399 mm
Platform dimensions	ø84 mm
Handle length	1300 mm
Material	Steel
Wheel material	Rubber / Polypropylene
Wheel diameter	165 mm



MAMMUTH PNEUMATIC HYDRAULIC JACK 20 TON

FJ20AH

- ✓ Pneumatic
- ✓ 3-position handle
- ✓ Ergonomic handle
- ✓ Height adapters
- ✓ Lifting capacity 20 tons

Lifting capacity	20 ton
Working air pressure	9 ~ 12 Bar
Average air consumption	127 L/min
Lifting height min.	215 mm
Lifting height max.	456 mm
Adapters included	3 stuks (20mm, 50mm en 100mm)
Platform dimensions	ø47 mm
Handle length	1335 mm



JACK STANDS

MAMMUTH EXTRA TALL JACK STAND 2 TONS

JS02H3

- ✓ Height adjustment (1235–2130 mm)
- ✓ Screw mechanism with locking pin
- ✓ Tripod base construction
- ✓ Rubber saddle

Load capacity	2 ton
Min. height	1235 mm
Max. height	2130 mm
Legs length	139 mm
Weight	17.2 kg





MAMMUTH JACK STANDS 12 TON

JS12

- ✓ Height adjustable
- ✓ Automatic locking
- ✓ Secured locking pin
- ✓ Base plates under each foot

Load capacity	12 ton
Min. height	465 mm
Max. height	715 mm
Base size	334 × 304 mm
Weight	29.8 kg



MAMMUTH JACK STANDS 3 TON

JS03

- ✓ Height adjustable
- ✓ Automatic locking
- ✓ Secured locking pin
- ✓ Base plates under each foot

Capacity	3 ton
Min. height	290 mm
Max. height	430 mm
Base size	205 × 185 mm
Weight	7.3 kg



MAMMUTH JACK STANDS 6 TON

JS06

- ✓ Height adjustable
- ✓ Automatic locking
- ✓ Secured locking pin
- ✓ Base plates under each foot

Capacity	6 ton
Min. height	395 mm
Max. height	625 mm
Base size	295 × 250 mm
Weight	14.5 kg

MAMMUTH JACK STANDS 22 TON

JS22P

- ✓ High load capacity (22 tons)
- ✓ Wide base plate
- ✓ Secured locking pin
- ✓ Side handle

Load capacity	22 ton
Min. height	314 mm
Max. height	498 mm
Saddle size	87 × 76 mm
Base size	248 × 248 mm
Weight	30.2 kg



MAMMUTH TALL JACK STAND 12 TON

JS12H

- ✓ Load capacity of 12 ton
- ✓ Height adjustment (725 - 1200 mm)
- ✓ Locking pin with chain
- ✓ Equipped with wheels
- ✓ Wide floor plates

Load capacity	12 ton
Min. height	725 mm
Max. height	1200 mm
Weight	26.5 kg



MAMMUTH JACK STAND 4 TON WITH AUTOMATIC HEIGHT ADJUSTMENT

JS04QS

- ✓ Automatic locking
- ✓ Height adjustable
- ✓ Base plates under the feet
- ✓ Attached locking pin
- ✓ Automatic height adjustment

Load capacity	4000 kg
Min. height	340 mm
Max. height	505 mm
Base size	230 × 208 mm
Saddle size	90 × 30 mm
Weight	5.8 kg





RUBBER JACK SADDLE FOR 2T JACK STAND

RP01JS

- ✓ Prevents scratches and other damage to the car
- ✓ Quick and easy car jack attachment
- ✓ Universal application
- ✓ For drawbridges and car jacks
- ✓ Robust construction

Weight 0.13 kg



FOLDABLE JACK STAND 12 TON
SDS12F

Weight: 19.5 kg



JACK STANDS ALUMINIUM RACING 3 TON
JS3A

Weight: 5.5 kg

MACHINE JACKS



HYDRAULIC MACHINE JACK 5 TON

HMJ05HD

- ✓ Reach up to 573mm
- ✓ 360 degrees rotatable

Weight 25.5 kg



HYDRAULIC MACHINE JACK 25 TON

HMJ25HD

- ✓ Reach up to 720mm
- ✓ 360 degrees rotatable
- ✓ Easy to move

Weight 120 kg



HYDRAULIC MACHINE TOE JACK 8 TON WITH SWIVEL BASE

HMJ08TJ

Weight: 29 kg



HYDRAULIC MACHINE JACK 10 TON

HMJ10HD

Weight: 37.5 kg

TRANSMISSION JACKS



TRANSMISSION JACK 500KG

TJ5

- ✓ Controlled lowering speed
- ✓ Foot pedal
- ✓ Nylon wheels

Material	Steel
Lifting capacity	500 kg
Min. height	1120 mm
Max. height	1940 mm
Hook spacing	280 mm
Hook height	50 mm
Wheel material	Nylon
Wheel diameter	ø77 mm



TRANSMISSION JACK 500KG DOUBLE RAM

TJ5D

- ✓ Two-stage pump
- ✓ Controlled lowering speed
- ✓ Foot pedal
- ✓ Tiltable platform
- ✓ Low minimum height

Material	Steel
Lifting capacity	500 kg
Min. height	940 mm
Max. height	1970 mm
Hook spacing	280 mm
Hook height	70 mm
Wheel material	Nylon
Wheel diameter	ø77 mm



TRANSMISSION JACK 1000KG

TJ10

- ✓ Two-stage pump
- ✓ Controlled lowering speed
- ✓ Foot pedal
- ✓ Glass fiber reinforced nylon wheels

Material	Steel
Lifting capacity	1000 kg
Min. height	1170 mm
Max. height	2010 mm
Hook spacing	300 mm
Hook height	50 mm
Wheel material	Fibreglass-reinforced nylon
Wheel diameter	ø100



TRANSMISSION JACK 600KG

TJ6

- ✓ Two-stage pump
- ✓ Controlled lowering speed
- ✓ Foot pedal
- ✓ Fiberglass-reinforced nylon wheels

Material	Steel
Lifting capacity	600 kg
Min. height	1146 mm
Max. height	1980 mm
Hook spacing	300 mm
Hook height	50 mm
Wheel material	Fibreglass-reinforced nylon
Wheel diameter	ø75

TRANSMISSION JACK 300KG

TJ3

- ✓ Two-stage pump
- ✓ Controlled lowering speed
- ✓ Foot pedal
- ✓ Fiberglass-reinforced nylon wheels

Material	Steel
Lifting capacity	300 kg
Min. height	1140 mm
Max. height	2000 mm
Hook spacing	300 mm
Hook height	50 mm
Wheel material	Fibreglass-reinforced nylon
Wheel diameter	ø63 mm



STEEL JACKS



MECHANICAL STEEL JACK 1500KG

SJ015

Weight: 15 kg



MECHANICAL STEEL JACK 5000KG

SJ050

Weight: 29.66 kg



MECHANICAL STEEL JACK 3000KG

SJ030

Weight: 22.2 kg

BOTTLE JACKS

MAMMUTH BOTTLE JACK 20 TON

BJ20H

- ✓ Lifting capacity 20 ton
- ✓ Lifting range 238 to 463 mm
- ✓ Adjustable screw
- ✓ Welded housing

Lifting capacity	20000 kg
Lifting height min.	238 mm
Lifting height max.	463 mm
Stroke	165 mm
Length of screw spindle	60 mm
Saddle diameter	45 mm
Handle length	496 mm
Oil type	CH32





MAMMUTH BOTTLE JACK 8 TON

BJ08H

- ✓ Lifting capacity 8 ton
- ✓ Lifting range 226 to 464 mm
- ✓ Adjustable screw
- ✓ Welded housing

Lifting capacity	8000 kg
Lifting height min.	226 mm
Lifting height max.	464 mm
Stroke	158 mm
Length of screw spindle	80 mm
Saddle diameter	32 mm
Handle length	496 mm
Oil type	CH32



MAMMUTH BOTTLE JACK 12 TON HORIZONTAL/VERTICAL

BJ12MD

- ✓ Horizontal and vertical operation
- ✓ Lifting capacity 12 ton
- ✓ Adjustable screw
- ✓ Welded housing
- ✓ Interlocking pump handle

Lifting capacity	12000 kg
Lifting height min.	245 mm
Lifting height max.	488 mm
Stroke	163 mm
Length of screw spindle	80 mm
Oil type	CH32
Weight	10 kg



BOTTLE JACK 50 TON
BJ50H

Weight: 25.62 kg



BOTTLE JACK 12 TON
BJ12H

Weight: 6.4 kg



BOTTLE JACK 5 TON
BJ05H

Weight: 4.41 kg



BOTTLE JACK 30 TON
BJJ30H

Weight: 12.3 kg



BOTTLE JACK 3 TON
BJJ03H

Weight: 3.42 kg



BOTTLE JACK 2 TON
BJJ02H

Weight: 2.39 kg

PNEUMATIC JACKS



PNEUMATIC BALLOON JACK 2 STEP 2 T
ZHL22

- ✓ Lightweight jack of just 15kgs
- ✓ Maximum lifting height of 425mm
- ✓ Safety overload valve
- ✓ Space saving

Weight

15.5 kg

SCREW JACKS



SCREW JACK 15 TON
SDS15

Weight: 11.2 kg



SCREW JACK 5 TON
SDS05

Weight: 3.8 kg



SCREW JACK 10 TON
SDS10

Weight: 6.6 kg

ELECTRIC SCISSOR JACKS



ELECTRIC SCISSOR JACK 2000KG 12V
ESC12V
Weight: 6.5 kg

PNEUMATIC BOTTLE JACKS



MAMMUTH PNEUMATIC BOTTLE JACK 20 TON
BJ20AHL

- ✓ Pneumatic operation
- ✓ Lifting capacity 20 ton
- ✓ Lifting range 261 to 510 mm
- ✓ Adjustable screw
- ✓ Welded housing

Lifting capacity	20000 kg
Lifting height min.	261 mm
Lifting height max.	510 mm
Stroke	167 mmm
Length of screw spindle	82 m
Saddle diameter	45 mm
Handle length	496 mm
Oil type	CH32



BOTTLE JACK PNEUMATIC 12 TON
BJ12AHL
Weight: 14 kg

ACCESSORIES



JACK SADDLE 120MM

FJ01ADP

Weight: 1.5 kg

RUBBER PADS



RUBBER PAD

JG27RP

Weight: 0.1 kg



RUBBER PAD ROND 85MM

JG2SRP

Weight: 0.07 kg




RUBBER PAD SQUARE MM

FJ30ALRRP

Weight: 0.08 kg

02



COLLECTION 02 · 42 PRODUCTS

TRANSPORT ROLLERS AND HANDLING

Transport rollers up to 24 tons, lift transporters, furniture movers, hand trolleys and forklift accessories for moving heavy loads.

24 t

transport rollers

1,800 kg

lift transporters

Transport rollers 21

Fork lift accessories 8

Furniture mover 2

Vehicle trolley 4

Hand trolleys 3

Motor miscellaneous 2

Warehouse trolleys 1

Work platform 1

JACKS

HANDLING

PALLET TRUCKS

PRESSES

BIKE LIFTS

HYDRAULICS

WORKSHOP

LIFT TABLES

CRANES

CASTORS

TOOLS

TRANSPORT ROLLERS



FURNITURE LIFTER SET 300KG

SK02MINI


- ✓ Max. load 300Kg
- ✓ Great leverage
- ✓ Made in Japan
- ✓ ABS plastic components

Load capacity max.	300 kg
Material	Steel and ABS plastic
Fork load max.	150 kg
Weight	0.71 kg



TRANSPORT ROLLERS 4 TON STEERABLE
SKS40

Weight: 37.2 kg



TRANSPORT ROLLERS 6 TON
SK06V

Weight: 13 kg



TRANSPORT ROLLERS 2 TON STEERABLE
SKS20

Weight: 23.4 kg



TRANSPORT ROLLERS 8 TON STEERABLE
SK08ZP

Weight: 45 kg



TRANSPORT ROLLERS 4 TON STEERABLE
SK04ZP

Weight: 14.3 kg



TRANSPORT ROLLERS 12 TON STEERABLE
SK12ZP

Weight: 65.1 kg




TRANSPORT ROLLERS 3 TON
SK03V

Weight: 9.5 kg




TRANSPORT ROLLERS 2 TON
SK02VY

Weight: 7.5 kg



TRANSPORT ROLLERS 12 TON
SK12V

Weight: 40 kg




TRANSPORT ROLLERS 12 TON DOUBLE
SK12DP

Weight: 40 kg



TRANSPORT ROLLERS 18 TON STEERABLE
SK18ZP

Weight: 97 kg



TRANSPORT ROLLERS 18 TON DOUBLE
SK18DP

Weight: 57.1 kg



SKATE KIT 20 TON
SK20MM

Weight: 50 kg



TRANSPORT ROLLERS 3 TON STEERABLE
SK03Z

Weight: 15.75 kg




TRANSPORT ROLLERS 8 TON DOUBLE
SK08DP

Weight: 32 kg



SKATE KIT , 60 TON
SK60MM

Weight: 75 kg




TRANSPORT ROLLERS 24 TON STEERABLE
SK24Z

Weight: 150 kg



SKATE KIT, 30 TON
SK30MM

Weight: 57 kg



TRANSPORT ROLLERS DOUBLE 4 TON
SK04DP

Weight: 15 kg



ROLLER CROWBAR
RC15

Weight: 22 kg

FORK LIFT ACCESSORIES



FORKLIFT EXTENSIONS CLOSED 12CM 2,4MTR LONG
FE12C24

Weight: 91.6 kg



FORKLIFT EXTENSIONS CLOSED 10CM 2,4MTR LONG
FE10C24

Weight: 80.4 kg



FORK LIFT EXTENSIONS CLOSED 10CM 1,8MTR LONG
FE10C18

Weight: 60.3 kg



FORKLIFT EXTENSIONS CLOSED 12CM 1.8MTR LONG
FE12C18
Weight: 68.7 kg



FORKLIFT EXTENSIONS CLOSED 14CM 2.4MTR LONG
FE14C24
Weight: 103 kg



FORKLIFT EXTENSIONS CLOSED 14CM 1.8MTR LONG
FE14C18
Weight: 75.5 kg



FORKLIFTSEAT ADJUSTABLE
FS12
Weight: 10.5 kg



FORKLIFT EXTENSIONS CLOSED 16CM 1.8MTR LONG
FE16C18
Weight: 84 kg

FURNITURE MOVER



FURNITURE MOVER SET 600KG
MF060HW

- ✓ Great for moving heavy furniture
- ✓ Winch handle geared mechanism
- ✓ Non marking castors
- ✓ Incl. ratchet straps

Weight 30.08 kg



LIFT TRANSPORTERS 1800KG
MF180HW

Weight: 84 kg

VEHICLE TROLLEY



VEHICLE POSITIONING JACK MECHANICAL 680KG
HV10M

- ✓ Large range, up to 24 inch rims
- ✓ Sturdy aluminum rollers, with nylon sliding bushes
- ✓ Automatic locking
- ✓ Mechanical design
- ✓ Maintenance free

Lifting capacity	680 kg
Rollers length	325 mm
Distance between rollers	325 - 645 mm
Rollers diameter	70 mm
Tire diameter	920 mm
Weight	16.3 kg



VEHICLE POSITIONING JACK MECHANICAL 600KG
HV10MP

- ✓ Mechanical lifting
- ✓ Maintenance free
- ✓ Swivel wheels with brakes
- ✓ Sturdy frame
- ✓ Automatic locking

Lifting capacity	600 kg
Rollers length	280 mm
Distance between rollers	245 - 640 mm
Rollers diameter	76 mm
Tire width max.	280 mm
Weight	17.6 kg



CAR DOLLY 450KG
DD10C
Weight: 17 kg



STORAGE CART FOR VEHICLE POSITIONING JACKS
HV10MR
Weight: 11 kg

HAND TROLLEYS



HAND TROLLEY IRON 300KG
HT25IR
Weight: 14 kg



HAND TROLLEY ALUMINUM 200KG
HT25AL
Weight: 8 kg



STAIR CLIMBING TROLLEY IRON 200KG
HT1410
Weight: 20 kg

MOTOR MISCELLANEOUS



MOTORCYCLE DOLLY 500KG
MMS60

- ✓ Easy moving of motorcycles
- ✓ Ideal for smaller garages and workshops

Weight 31.8 kg



MOTORCYCLE MOVER 150KG
MS150WM

Weight: 10 kg

WAREHOUSE TROLLEYS



TABLE TOP CART 3 LEVELS 350KG
GPT350

- ✓ Sturdy horizontal push handle
- ✓ Solid steel frame
- ✓ Very universally applicable
- ✓ Two swivel wheels with brakes and 2 fixed wheels
- ✓ Up to 350kg load capacity

Weight 59 kg

WORK PLATFORM



ALUMINIUM WORK PLATFORM
AWT200

- ✓ Foldable
- ✓ Anti-slip strips
- ✓ Additional support rods
- ✓ Aluminum design

Weight 8.5 kg



03



COLLECTION 03 · 21 PRODUCTS

PALLET TRUCKS AND STACKERS

Hand pallet trucks up to 2,500 kg in several fork lengths, galvanised, stainless steel or with a built-in scale, plus electric pallet trucks and stackers.

2,500 kg
hand pallet trucks

1,500 kg
electric stacker

Hand pallet trucks 6

Electric pallet trucks 4

Stackers 4

Pallet trucks with scale 2

Scissor lifts 1

Parts / accessories 4

HAND PALLET TRUCKS



PALLET TRUCK 2500KG DOUBLE FRONT WHEEL 115CM

PT25L115

Lifting capacity	2500 kg
Lifting height min.	85 mm
Fork length and width	1150 × 150 mm
Lifting height max.	200 mm
Fork and wheel material	PU
Total width	540 mm
Bearings material	stainless steel
Weight	75 kg



PALLET TRUCK 2000KG LONG 200CM

PT20L200

- ✓ Lifting capacity 2000 kg
- ✓ Wheel material PU
- ✓ Fork length 2000 mm

Lifting capacity	2000 kg
Lifting height min.	80 mm
Fork length and width	2000 × 150 mm
Lifting height max.	190 mm
Fork and wheel material	PU
Weight	100 kg



PALLET TRUCK 1000KG 115CM EXTRA LOW

PT10L115L

- ✓ Fork length 1150 mm
- ✓ Steel hydraulic pump
- ✓ Polyuthelene Wheel's
- ✓ Ideal for stone pallets
- ✓ Extra low min height

Lifting capacity	1000 kg
Lifting height min.	35 mm
Fork length	1150 mm
Steering wheel diameter	150 × 45mm
Lifting height max. incl. pads	100 mm
Fork and wheel material	PU
Distance between forks	300mm
Individual fork width	120mm



PALLET TRUCK 2000KG SINGLE FRONT WHEEL 115CM
PT20L115
Weight: 75 kg




PALLET TRUCK 2500KG GALVANIZED 115CM
PT25L115G
Weight: 75 kg



PALLET TRUCK 2500KG SHORT 95CM
PT25L095
Weight: 60 kg

ELECTRIC PALLET TRUCKS



MAMMUTH ELECTRIC PALLET TRUCK 2000 KG
PT20E

- ✓ Fully electric
- ✓ Lifting capacity 2000 kg
- ✓ Brushless motor
- ✓ Removable lithium battery
- ✓ Polyurethane wheels


Lifting capacity	2000 kg
Lifting height min.	84 mm
Lifting height max.	190 mm
Battery type	lithium-ion
Battery voltage	48V/15Ah
Power supply	230V
Fork size (length x width x height)	1150 × 160 × 65 mm
Fork overall width	540 mm



SEMI-ELECTRIC HIGH-LIFT PALLET TRUCK 1000KG
PS10SB

- ✓ Lifting height 820 mm
- ✓ Polyurethane wheels
- ✓ Battery powered quick lift
- ✓ On board charger
- ✓ Maintenance free battery

Lifting capacity	1000 kg
Fork size (length x width x height)	1150 × 160 × 55 mm
Lifting height min.	85 mm
Lifting height max.	820 mm
Battery voltage	12V/65Ah
Steering wheel diameter	180 × 50mm
Load wheel diameter	80 × 70 mm
Motor power	0.8 kW



MAMMUTH SEMI-ELECTRIC PALLET TRUCK 2000 KG

PT20SE

- ✓ Semi-electric
- ✓ Lifting capacity 2000 kg
- ✓ Brushless motor
- ✓ Removable lithium battery
- ✓ Polyurethane wheels

Lifting capacity	2000 kg
Lifting height min.	84 mm
Lifting height max.	190 mm
Fork size (length x width x height)	1150 × 160 × 83 mm
Fork overall width	530 mm
Battery type	lithium-ion
Battery voltage	48V/10Ah
Power supply	230V



MAMMUTH GALVANIZED ELECTRIC PALLET TRUCK 2000 KG

PT20ESG

- ✓ Galvanized chassis and forks
- ✓ Fully electric
- ✓ 2000 kg lifting capacity
- ✓ Removable lithium battery
- ✓ Stainless steel bearings and hydraulic cylinder

Lifting capacity	2000 kg
Lifting height min.	84 mm
Lifting height max.	200 mm
Battery type	lithium-ion
Battery voltage	48V/15Ah
Power supply	230V
Drive motor power	1 kW
Lift motor power	0.8 kW

STACKERS




MAMMUTH ELECTRIC STACKER 1500 KG

PS15E

- ✓ Lifting capacity 1500 kg
- ✓ Lifting height 3500 mm
- ✓ Variable lifting and lowering speed
- ✓ Digital display with status information

Lifting capacity	1500 kg
Lifting height max.	3500 mm
Battery type	Lead acid gel
Battery voltage	12V / 75 aH
Power supply	230V
Drive motor power	0.75 kW
Lift motor power	2.2 kW
Lifting speed loaded	0 - 85 mm/sec



STACKER MANUAL 1000KG 160 CM

PS10M16

- ✓ 160cm lifting height
- ✓ Wheels incl. parking brake
- ✓ Handle & Foot pedal lifting
- ✓ C profile mast
- ✓ Double front wheels

Lifting capacity	1000 kg
Fork size (length x width x height)	1150 × 160 × 55 mm
Wheel material	Nylon
Lifting speed loaded	16 mm/sec
Turning radius	1600 mm
Fork overall width	565 mm
Lifting height range	85 -1610 mm
Total length	1750 mm



MAMMUTH SEMI ELECTRIC SELF LOADING STACKER 500 KG

PS05EVG

- ✓ Self loading stacker
- ✓ Electric lifting and lowering
- ✓ Transport height 1325 mm
- ✓ Internal charger
- ✓ Transport lock

Lifting capacity	500 kg
Lifting height max.	1020 mm
Battery type	Lead acid gel
Battery voltage	12V / 45 aH
Power supply	230V
Lift motor power	0.8 kW
Lifting speed loaded	45 mm/sec
Lifting speed unloaded	55 mm/sec



MAMMUTH ELECTRIC STACKER 1500 KG - LITHIUM BATTERY

PS15ELI

- ✓ Lifting capacity 1500 kg
- ✓ Lifting height 3500 mm
- ✓ Lithium battery
- ✓ Variable lifting and lowering speed
- ✓ Digital display with status information

Lifting capacity	1500 kg
Lifting height max.	3500 mm
Battery type	lithium-ion
Battery voltage	24V / 60 Ah
Power supply	230V
Drive motor power	0.75 kW
Lift motor power	2.2 kW
Lifting speed loaded	0 - 102 mm/sec.

PALLET TRUCKS WITH SCALE



PALLET TRUCK WITH SCALE 2500KG 115CM

PT25W115

- ✓ 4 pressure sensors for 0,05% accuracy
- ✓ Clearly readable display
- ✓ Low profile, 77mm
- ✓ Double front wheel
- ✓ Fast lift

Weight 98 kg



PALLET TRUCK WITH SCALE STAINLESS STEEL 2500KG 115CM

PT25SS

- ✓ Made from 306 stainless steel
- ✓ Suitable for all industrial applications
- ✓ 4 pressure sensors for 0,05% accuracy
- ✓ Clearly readable display
- ✓ Nylon wheels

Weight 98 kg

SCISSOR LIFTS



PALLET TRUCK SCISSOR LIFT 1000KG 115CM

PS10S

- ✓ Extra high, up to 800mm
- ✓ Can be used as a pallet truck and lifting table
- ✓ Working at an ergonomic and optimal working height
- ✓ Extra stability due to the support legs
- ✓ Fast lift

Lifting capacity	1000 kg
Fork size (length x width x height)	1150 × 160 × 85 mm
Lifting height min.	85 mm
Lifting height max.	800 mm
Fork overall width	540 mm
Total height retracted	1230 mm
Total height extended	1650 mm
Wheel material	PU

PARTS / ACCESSORIES



PALLET TRUCK CHOCK

PT25C

- ✓ 100% solid rubber
- ✓ Incl. handle for easy handling
- ✓ Wide base so can be used for almost all pallet trucks
- ✓ Ideal for pallet truck parking

Weight	1.75 kg
--------	---------



LITHIUM BATTERY FOR ELECTRIC PALLET TRUCKS PT15E, PT18SE AND PT20SE 15AH
PART15ELB15

Weight: 4.7 kg



LITHIUM BATTERY FOR ELECTRIC PALLET TRUCKS PT15E, PT18SE AND PT20SE 10AH
PART15ELB10


Weight: 4.5 kg



SEAL SET FOR PALLET TRUCK PT25L115
SK25L115

Weight: 0.1 kg

04



COLLECTION 04 · 52 PRODUCTS

WORKSHOP PRESSES

Hydraulic, air-hydraulic and electric workshop presses from 12 to 200 tons, with press blocks, pressure gauges and accessories.

12-200 t
press capacity

2-stage
pump on hydraulic presses

Electric hydraulic shop presses 7

Hydraulic shop presses 8

Foot / manual shop presses 3

Hand hydraulic shop presses economic 5

Pneumatic hydraulic shop presses 1

Press pins and support blocks 2

Hand and foot pumps 2

Press blocks 7

Pressure gauges 12

Protection screens 4

Cylinders 1

JACKS

HANDLING

PALLET TRUCKS

PRESSES

BIKE LIFTS

HYDRAULICS

WORKSHOP

LIFT TABLES

CRANES

CASTORS

TOOLS

ELECTRIC HYDRAULIC SHOP PRESSES



MAMMUTH 30 TON ELECTRIC WORKSHOP PRESS

SP30HEM

- ✓ Electric control and foot pedal
- ✓ Hand winch work table
- ✓ Adjustable cylinder with scale
- ✓ Quick-change press head
- ✓ LED lighting

Press capacity	30 ton
Suitable for professional use	Yes
Control type	Electric with foot pedal
Power supply	230V
Motor power	500 W
Motor speed	6000 rpm
Cylinder stroke (stroke length)	220 mm
Cylinder diameter	ø55 mm



ELECTRIC SHOP PRESS WITH HAND WINCH 100 TON

SP100HEL

- ✓ Electric control
- ✓ Hand winch
- ✓ Interchangeable pressing cap
- ✓ Safety screen
- ✓ Foot pedal

Press capacity	100 ton
Motor power	1500 W
Voltage	400V
Workbed width	800 mm
Workbed depth	310 mm
Working height min. (between worktable and cylinder)	113 mm
Working height max. (between worktable and cylinder)	813 mm
Cylinder stroke	250 mm



MAMMUTH 50 TON ELECTRIC WORKSHOP PRESS

SP50HEM

- ✓ Electric control and foot pedal
- ✓ Hand winch work table
- ✓ Adjustable cylinder with scale
- ✓ Quick-change press head
- ✓ LED lighting

Press capacity	50 ton
Suitable for professional use	Yes
Control type	Electric with foot pedal
Power supply	230V
Motor power	500 W
Motor speed	6000 rpm
Cylinder stroke (stroke length)	220 mm
Cylinder diameter	ø67 mm

ELECTRIC SHOP PRESS WITH HAND WINCH 150 TON

SP150HEL

- ✓ Electric control
- ✓ Hand winch
- ✓ Interchangeable pressing cap
- ✓ Safety screen
- ✓ Foot pedal

Capacity	150 ton
Workbed width	1000 mm
Workbed depth	414 mm
Minimum working height	64 mm
Maximum working height	889 mm
Cylinder stroke	350 mm
Cylinder diameter	ø98 mm
Voltage	400V



MAMMUTH 20 TON ELECTRIC WORKSHOP PRESS X-SERIES

SP20XHE

- ✓ Electric control and foot pedal
- ✓ Work table height-adjustable
- ✓ Side-adjustable cylinder with scale
- ✓ Interchangeable press head
- ✓ LED lighting

Press capacity	20 ton
Suitable for professional use	Yes
Control type	Electric with foot pedal
Power supply	230V
Motor power	500 W
Motor speed	6000 rpm
Cylinder stroke (stroke length)	180 mm
Cylinder diameter	ø50 mm



MAMMUTH 20 TON ELECTRIC WORKSHOP PRESS

SP20HEM

- ✓ Electric control and foot pedal
- ✓ Hand winch workbed
- ✓ Side-adjustable cylinder with scale
- ✓ Quick-release mounting head
- ✓ LED lighting

Press capacity	20 ton
Suitable for professional use	Yes
Control type	Electric with foot pedal
Power supply	230V
Motor power	500 W
Motor speed	6000 rpm
Cylinder stroke (stroke length)	220 mm
Cylinder diameter	ø50 mm





MAMMUTH ELECTRIC WORKSHOP PRESS 200 TON

SP200HEL

- ✓ Pressing force of 200 tons
- ✓ Electric hand and foot control
- ✓ Height adjustable work bed
- ✓ Laterally movable cylinder
- ✓ Safety guard

Press capacity	200 ton
Voltage	400V
Control type	Electric with foot pedal
Motor power	1500 W
Motor speed	1400 rpm
Pressing speed (outward)	1.47 mm/sec
Pressing speed (inward)	2.63 mm/sec
Cylinder stroke	350 mm

HYDRAULIC SHOP PRESSES



SHOP PRESS HAND HYDRAULIC 20 TON

SP20H

- ✓ Two-stage pump
- ✓ Hand winch workbed
- ✓ Spindle-adjustable cylinder
- ✓ Quick-change press adapter
- ✓ Includes press blocks and pressing pins

Capacity	20 ton
Workbed width	540 mm
Workbed depth	165 mm
Minimum working height	25 mm
Maximum working height	850 mm
Cylinder stroke	220 mm
Cylinder diameter	ø50 mm
Length of screw spindle	75 mm



SHOP PRESS HAND HYDRAULIC 15 TON

SP15HL

- ✓ Two-stage pump
- ✓ Adjustable workbed
- ✓ Spindle-adjustable cylinder
- ✓ Quick-change press adapter
- ✓ Includes press blocks and pressing pins

Capacity	15 ton
Workbed width	440 mm
Workbed depth	163 mm
Minimum working height	45 mm
Maximum working height	340 mm
Length of screw spindle	75 mm
Cylinder stroke	170 mm
Cylinder diameter	ø50 mm



WORKSHOP PRESS AIR HYDRAULIC WITH FOOT PEDAL 100 TONS

SP100XHAM

- ✓ Two-stage pump
- ✓ Hand winch work table
- ✓ Side-adjustable cylinder with scale
- ✓ Interchangeable pressing adapter
- ✓ Pneumatic foot pedal

Capacity	100 ton
Workbed width	850 mm
Workbed depth	280 mm
Minimum working height	185 mm
Maximum working height	700 mm
Cylinder stroke	300 mm
Cylinder diameter	ø106 mm
Working air pressure	8 - 12 bar



WORKSHOP PRESS WIDE WORK BED AIR HYDRAULIC WITH FOOT PEDAL 30 TONS

SP30HAMB

- ✓ Two-stage pump
- ✓ Hand winch workbed
- ✓ Adjustable cylinder with scale
- ✓ Quick-change press head including 8 pressing pins
- ✓ Pneumatic foot pedal

Capacity	30 ton
Workbed width	750 mm
Workbed depth	200 mm
Minimum working height	130 mm
Maximum working height	830 mm
Length of screw spindle	75 mm
Cylinder stroke	220 mm
Cylinder diameter	ø55 mm



WORKSHOP PRESS HYDRAULIC 50 TONS

SP50XHM

- ✓ Two-stage pump
- ✓ Hand winch workbed
- ✓ Side-adjustable cylinder with scale
- ✓ Interchangeable press adapter
- ✓ Includes press blocks

Capacity	50 ton
Workbed width	750 mm
Workbed depth	200 mm
Minimum working height	120 mm
Maximum working height	700 mm
Cylinder stroke	200 mm
Cylinder diameter	ø70 mm
Oil capacity	2.5 L



WORKSHOP PRESS AIR HYDRAULIC WITH FOOT PEDAL 30 TONS

SP30XHAM

- ✓ Two-stage pump
- ✓ Adjustable workbed
- ✓ Side-adjustable cylinder with scale
- ✓ Interchangeable press adapter
- ✓ Pneumatic foot pedal

Capacity	30 ton
Workbed width	540 mm
Workbed depth	148 mm
Minimum working height	75 mm
Maximum working height	915 mm
Cylinder stroke	180 mm
Cylinder diameter	ø60 mm
Working air pressure	8 - 12 bar



WORKSHOP PRESS HYDRAULIC 20 TONS

SP20XHM

- ✓ Two-stage pump
- ✓ Adjustable workbed
- ✓ Side-adjustable cylinder with scale
- ✓ Interchangeable press adapter
- ✓ Includes press blocks

Capacity	20 ton
Workbed width	540 mm
Workbed depth	134 mm
Minimum working height	48 mm
Maximum working height	958 mm
Cylinder stroke	180 mm
Cylinder diameter	ø50 mm
Oil capacity	0.9 L



WORKSHOP PRESS HYDRAULIC 20 TONS

SP20XH

- ✓ Multifunctional press blocks including V-block
- ✓ Interchangeable recording cap
- ✓ Hydraulic two-stage pump

Weight	112 kg
--------	--------

FOOT / MANUAL SHOP PRESSES



SHOP PRESS AIR HYDRAULIC WITH FOOT PEDAL 50 TON
SP50HAM

- ✓ Two-stage pump
- ✓ Hand winch workbed
- ✓ Adjustable cylinder with scale
- ✓ Quick-change press head including 8 pressing pins
- ✓ Pneumatic foot pedal

Capacity	50 ton
Workbed width	750 mm
Workbed depth	200 mm
Minimum working height	80 mm
Maximum working height	780 mm
Length of screw spindle	75 mm
Cylinder stroke	220 mm
Cylinder diameter	ø67 mm



SHOP PRESS AIR HYDRAULIC WITH FOOT PEDAL 30 TON
SP30HAM

- ✓ Two-stage pump
- ✓ Hand winch workbed
- ✓ Adjustable cylinder with scale
- ✓ Quick-change press head including 8 pressing pins
- ✓ Pneumatic foot pedal

Capacity	30 ton
Workbed width	600 mm
Workbed depth	187 mm
Minimum working height	25 mm
Maximum working height	850 mm
Length of screw spindle	75 mm
Cylinder stroke	220 mm
Cylinder diameter	ø55 mm



SHOP PRESS WITH FOOTPEDAL 50 TON
SP50HHV

Weight: 341 kg

HAND HYDRAULIC SHOP PRESSES ECONOMIC



SHOP PRESS 12 TON TABLE MODEL

SP12HL

- ✓ Compact design
- ✓ Adjustable workbed
- ✓ Interchangeable receiver cap
- ✓ Includes pressing blocks

Capacity	12 ton
Workbed width	505 mm
Workbed depth	84 mm
Minimum working height	110 mm
Maximum working height	364 mm
Cylinder stroke	175 mm
Cylinder diameter	ø39 mm
Oil capacity	0.55 L



SHOP PRESS AIR HYDRAULIC 20 TON

SP20HA

- ✓ Adjustable workbed
- ✓ Interchangeable receiver cap
- ✓ Side-adjustable cylinder
- ✓ Pneumatic operation
- ✓ Includes pressing blocks

Capacity	20 ton
Workbed width	542 mm
Workbed depth	105 mm
Minimum working height	28 mm
Maximum working height	998 mm
Cylinder stroke	185 mm
Cylinder diameter	ø48 mm
Working air pressure	7.5 - 8.5 bar



SHOP PRESS WITH FOOTPEDAL 20 TON

SP20HV

- ✓ Adjustable workbed
- ✓ Interchangeable receiver cap
- ✓ Side-adjustable cylinder
- ✓ Foot pedal
- ✓ Includes pressing blocks

Capacity	20 ton
Workbed width	542 mm
Workbed depth	105 mm
Minimum working height	58 mm
Maximum working height	1018 mm
Cylinder stroke	185 mm
Cylinder diameter	ø48 mm
Oil capacity	0.7 L

SHOP PRESS HAND HYDRAULIC 12 TON

SP12HH

- ✓ Adjustable workbed
- ✓ Interchangeable receiver cap
- ✓ Includes pressing blocks

Capacity	12 ton
Workbed width	454 mm
Workbed depth	84 mm
Minimum working height	77 mm
Maximum working height	917 mm
Cylinder stroke	180 mm
Cylinder diameter	ø39 mm
Oil capacity	0.55 L



SHOP PRESS HAND HYDRAULIC 20 TON

SP20HH

- ✓ Adjustable workbed
- ✓ Interchangeable press adapter
- ✓ Side-adjustable cylinder
- ✓ Includes press blocks

Capacity	20 ton
Workbed width	542 mm
Workbed depth	105 mm
Minimum working height	25 mm
Maximum working height	985 mm
Cylinder stroke	185 mm
Cylinder diameter	ø48 mm
Oil capacity	0.7 L



PNEUMATIC HYDRAULIC SHOP PRESSES

SHOP PRESS AIR HYDRAULIC 75 TON

SP75HAL

- ✓ Hand winch work table
- ✓ Side-adjustable cylinder
- ✓ Interchangeable pressing adapter
- ✓ Pneumatic foot pedal
- ✓ Includes press blocks

Capacity	75 ton
Workbed width	800 mm
Workbed depth	251 mm
Minimum working height	170 mm
Maximum working height	884 mm
Cylinder stroke	250 mm
Cylinder diameter	ø78 mm
Working air pressure	7.5 - 8.5 bar



PRESS PINS AND SUPPORT BLOCKS




MAMMUTH PRESS PINS WITH HOLDER

SP8ASHAM

- ✓ Complete with holder + 8 clamping pins
- ✓ Fits directly on Mammuth HE(M) series
- ✓ Includes mounting hardware
- ✓ Quick-change clamping pins

Weight 3.65 kg



SHOP PRESS ACCESSORY SET

SP8AS

Weight: 8 kg

HAND AND FOOT PUMPS



HYDRAULIC HAND PUMP FOR SP10CH AND SP12HH

SP10CH

Weight: 7 kg



FOOT PEDAL ON AIR

FP75SPA

Weight: 1.2 kg

PRESS BLOCKS



MAMMUTH PRESS BLOCKS FOR SP150HEL

SP150PB

Press capacity	150 ton
Material	Steel
Weight	108 kg



PRESS BLOCK FOR SP75HAL - SP75HEL

SPB75HL

Weight: 16.1 kg



PRESS BLOCK FOR SP30HAL - SP30HHL - SP30HHV

SPB30HL

Weight: 8.1 kg



PRESS BLOCK FOR SP100HAL - SP100HEL

SPB100HL

Weight: 30.1 kg



PRESS BLOCK FOR SP50HAL - SP50HHV - SP50HEL

SPB50HL

Weight: 12.1 kg



PRESS BLOCK FOR SP20HAL - SP20HHL - SP20HHV

SPB20HL

Weight: 7.1 kg



PRESS BLOCK FOR SP50HA

SPB50HA

Weight: 11.1 kg

PRESSURE GAUGES



MANOMETER FOR SHOP PRESSES SP12HH - SP12HL
SPM12HH
Weight: 0.7 kg



MANOMETER FOR SHOP PRESSES SP50HAL - SP50HHV
SPM50HAL
Weight: 0.7 kg



MANOMETER FOR SHOP PRESS SP75HAL
SPM75HAL
Weight: 0.7 kg



MANOMETER FOR SHOP PRESS SP50HEL
SPM50HEL
Weight: 0.7 kg



MANOMETER FOR SHOP PRESS SP75HEL
SPM75HEL
Weight: 0.7 kg



MANOMETER FOR SHOP PRESS SP150HEL
SPM150HEL
Weight: 0.7 kg



MANOMETER FOR SHOP PRESS SP50HA
SPM50HA
Weight: 0.7 kg



MANOMETER FOR SHOP PRESSES SP20HH - SP20HA - SP20HV
SPM20HH
Weight: 0.7 kg



MANOMETER FOR SHOP PRESS SP100HAL
SPM100HAL
Weight: 0.7 kg



MANOMETER FOR SHOP PRESSES SP15HHL - SP15HHV

SPM15HHL

Weight: 0.7 kg



MANOMETER FOR SHOP PRESS SP100HEL

SPM100HEL

Weight: 0.7 kg



MANOMETER FOR SHOP PRESSES SP20HHL - SP20HAL - SP20HHV

SPM20HHL

Weight: 0.7 kg

PROTECTION SCREENS



PROTECTION SCREEN FOR WORKSHOP PRESS 30 TON SP30HAM

PART30HAMP

Weight: 6.5 kg



PROTECTION SCREEN FOR WORKSHOP PRESS 50 TON SP50HAM

PART50HAMP

Weight: 7.8 kg



PROTECTION SCREEN FOR WORKSHOP PRESS 20 TON SP20H

PART20HPS

Weight: 6.6 kg



PROTECTION SCREEN FOR WORKSHOP PRESS 15 TON SP15HL

PART15HLPS

Weight: 3.9 kg

CYLINDERS



CYLINDER FOR SP75HEL
SPC75HEL
Weight: 74 kg

05



COLLECTION 05 · 18 PRODUCTS

MOTORCYCLE LIFTS

Motorcycle, scooter and quad lift tables from 360 to 675 kg, pneumatic or hydraulic, plus mini lifts, widening sets and accessories.

360-675 kg
lifting capacity

2
drives: pneumatic or hydraulic

Motorcycle lifts 18

JACKS

HANDLING

PALLET TRUCKS

PRESSES

BIKE LIFTS

HYDRAULICS

WORKSHOP

LIFT TABLES

CRANES

CASTORS

TOOLS

MOTORCYCLE LIFTS



MOTORCYCLE LIFT TABLE PARALLEL 450KG PNEUMATIC

ML45PA

- ✓ Pneumatic
- ✓ Anti-slip surface
- ✓ Removable plate
- ✓ Tie-down points
- ✓ Mobile

Material	Steel
Lifting capacity	450 kg
Min. height	170 mm
Max. height	790 mm
Platform length	2200 mm
Platform width	680 mm
Ramp length	650 mm
Opening front wheel clamp max.	230 mm



MOTORCYCLE LIFT TABLE PARALLEL 450KG

ML45PH

- ✓ Mobile, easy to move
- ✓ Anti-slip surface
- ✓ Removable plate for rear wheel
- ✓ Adjustable legs
- ✓ Equipped with safety catch

Material	Steel
Lifting capacity	450 kg
Min. height	170 mm
Max. height	790 mm
Platform length	2200 mm
Platform width	680 mm
Ramp length	650 mm
Opening front wheel clamp max.	230 mm



MOTORCYCLE LIFT TABLE 675KG PNEUMATIC

ML75HAS

- ✓ Pneumatic
- ✓ Anti-slip surface
- ✓ Removable plate
- ✓ Adjustable feet
- ✓ Expandable

Material	Steel
Lifting capacity	675 kg
Min. height	185 mm
Max. height	825 mm
Platform length	2000 mm
Platform width	710 mm
Ramp length	555 mm
Opening front wheel clamp max.	210 mm

MOTORCYCLE LIFT TABLE SCOOTER / MOPED 360KG

ML37KH

- ✓ Anti-slip surface
- ✓ Front wheel clamp
- ✓ Tie-down points
- ✓ Locking pin
- ✓ Mobile

Material	Steel
Lifting capacity	360 kg
Min. height	205 mm
Max. height	780 mm
Platform length	1345 mm
Platform width	490 mm
Ramp length	855 mm
Opening front wheel clamp max.	145 mm



MOTORCYCLE LIFT TABLE QUAD / TRIKE 675KG PNEUMATIC

ML75HA

- ✓ Pneumatic
- ✓ Anti-slip surface
- ✓ Removable plate
- ✓ Adjustable feet
- ✓ Wide platform

Material	Steel
Lifting capacity	675 kg
Min. height	185 mm
Max. height	825 mm
Platform length	1995 mm
Platform width	1190 mm
Ramp length	650 mm
Lifting time	50 sec



MOTORCYCLE LIFT TABLE SCISSOR 450 KG

ML45KH

- ✓ Scissor frame
- ✓ Anti-slip surface
- ✓ Front wheel clamp
- ✓ Adjustable feet
- ✓ Mobile

Material	Steel
Lifting capacity	450 kg
Min. height	195 mm
Max. height	780 mm
Platform length	1825 mm
Platform width	660 mm
Ramp length	690 mm
Opening front wheel clamp max.	215 mm





MAMMUTH MINI MOTORCYCLE LIFT 500KG

ML34B

- ✓ Lifting capacity of 500 kg
- ✓ Lifting height from 160 to 475 mm
- ✓ Two adjustable adapters
- ✓ Removable handle
- ✓ Safety pin

Lifting capacity	500 kg
Lifting height min.	160 mm
Lifting height max.	475 mm
Platform dimensions	450 × 150 mm
Weight	15 kg



MOTORCYCLE LIFTING JACK 680KG

ML70HK

- ✓ Load capacity 680 kg
- ✓ Max height 430 mm
- ✓ Incl. rubber support pads
- ✓ Easy to lift and to maneuver

Lifting capacity	680 kg
Lifting height min.	135 mm
Height position 1	285 mm
Height position 2	365 mm
Weight	29 kg



CROSSLIFT 135KG HYDRAULIC
ML13HS

Weight: 35 kg




HYDRAULIC FOOTPUMP FOR ATV LIFT
HFP1ATV

Weight: 15.5 kg



MOTORCYCLE LIFT ANGLE CLAMP
ML01

Weight: 7.79 kg



WIDENING SET FOR MOTORCYCLE LIFT ML75HAS
MLS75HAS

Weight: 56 kg



MOTORCYCLE LIFT CLAMP ML75HAS
ML01HAS

Weight: 11.8 kg



EXTENSION FOR MOTORCYCLE LIFT ML75HAS
MLE75HAS

Weight: 15.3 kg



AIR PUMP FOR HYDRAULIC FOOTPUMP
AM01

Weight: 1 kg



ROLLER PLATE FOR MOTORCYCLE LIFT ML75HAS
MLR75HAS

Weight: 5.7 kg



OIL PUMP FOR MOTORCYCLE LIFTING JACK
OPML70HK

Weight: 4.8 kg



ADAPTOR FOR MINI MOTORCYCLE LIFT ML34B
P34BAP

Weight: 0.82 kg

06



COLLECTION 06 · 107 PRODUCTS

HYDRAULIC TOOLS

Hydraulic cylinders up to 300 tons, hollow and flat cylinders, hand and foot pumps and hole punching tools for 700 bar systems.

300 t

cylinder capacity

700 bar

maximum working pressure

Cylinders 36

Hollow cylinders 10

Hand and footpumps 5

Double flat cylinders 5

Hydraulic gear pump and motor 4

Electric pumps 1

Flat cylinders 6

Accessories 8

Hole punching tools 4

Square punches 7

Pulling cylinders 2

Long cylinders 2

Cable cutters 3

Round punches 9

Draw studs 5

JACKS

HANDLING

PALLET TRUCKS

PRESSES

BIKE LIFTS

HYDRAULICS

WORKSHOP

LIFT TABLES

CRANES

CASTORS

TOOLS

CYLINDERS



HYDRAULIC ALUMINUM CYLINDER 60 TON STROKE 150MM

MCH60150A

- ✓ Incl. side handle
- ✓ 700 bar max working pressure
- ✓ Hard coat finish
- ✓ High-strength
- ✓ Light weight compact alu body

Capacity	60 Ton
Stroke	150 mm
Material	Aluminium
Oil capacity	1.27 L
Pressure max.	700 Bar
Piston surface	100 × 100 mm
Piston diameter	100 mm
Outside diameter	188 mm



HYDRAULIC ALUMINUM CYLINDER 30 TON STROKE 150MM

MCH30150A

- ✓ Incl. side handle
- ✓ 700 bar max working pressure
- ✓ Hard coat finish
- ✓ High-strength
- ✓ Light weight compact alu body

Capacity	30 Ton
Stroke	150 mm
Pressure max.	700 Bar
Oil capacity	0.76 L
Material	Aluminium
Piston surface	70 × 70 mm
Piston diameter	70 mm
Outside diameter	138 mm



MAMMUTH ALUMINIUM HYDRAULIC CYLINDER 100 TON STROKE 200 MM

MCH100200A

- ✓ Capacity 100 ton
- ✓ Stroke length of 200 mm
- ✓ Lightweight aluminium housing
- ✓ Side handles
- ✓ Hydraulic coupling with 3/8" connection

Capacity	100 Ton
Stroke	200 mm
Working pressure max.	700 bar
Oil capacity	2.863 L
Effective pressure area	143.1 cm ²
Cylinder bore	135 mm
Plunger diameter	112 mm
Saddle diameter	92 mm



CYLINDER 20 TON STROKE 50MM
MC2050

Weight: 5 kg



CYLINDER 30 TON STROKE 50MM
MC3050

Weight: 8 kg



CYLINDER 50 TON STROKE 50MM
MC5050

Weight: 11 kg



CYLINDER 100 TON STROKE 50MM
MC10050

Weight: 25 kg



CYLINDER 50 TON STROKE 100MM
MPC50100

Weight: 19 kg



CYLINDER 10 TON STROKE 50MM
MC1050

Weight: 4 kg



CYLINDER 100 TON STROKE 50MM
MPC10050

Weight: 27 kg



CYLINDER 50 TON STROKE 150MM
MPC50150

Weight: 23 kg



CYLINDER 50 TON STROKE 200MM
MPC50200

Weight: 26.5 kg



CYLINDER 10 TON STROKE 50MM
MPC1050

Weight: 4.3 kg



CYLINDER 100 TON STROKE 150MM
MPC100150

Weight: 43 kg



CYLINDER 30 TON STROKE 200MM
MPC30200

Weight: 19 kg



CYLINDER 150 TON STROKE 200MM
MPC150200

Weight: 72 kg



CYLINDER 100 TON STROKE 100MM
MPC100100

Weight: 35 kg



CYLINDER 10 TON STROKE 100MM
MPC10100

Weight: 5.5 kg



CYLINDER 30 TON STROKE 50MM
MPC3050

Weight: 10 kg



CYLINDER 30 TON STROKE 100MM
MPC30100

Weight: 14.5 kg



CYLINDER 100 TON STROKE 200MM
MPC100200

Weight: 50 kg



CYLINDER 20 TON STROKE 150MM
MPC20150

Weight: 11 kg



CYLINDER 30 TON STROKE 150MM
MPC30150

Weight: 17 kg



CYLINDER 200 TON STROKE 50MM
MC20050

Weight: 47 kg



CYLINDER 5 TON STROKE 100MM
MPC05100

Weight: 2 kg



CYLINDER 20 TON STROKE 100MM
MPC20100

Weight: 8 kg



CYLINDER 10 TON STROKE 150MM
MPC10150

Weight: 6 kg



CYLINDER 20 TON STROKE 50MM
MPC2050

Weight: 7 kg



CYLINDER 50 TON STROKE 50MM
MPC5050

Weight: 15 kg



CYLINDER 150 TON STROKE 100MM
MPC150100

Weight: 47 kg



CYLINDER 300 TON STROKE 100MM

MPC300100

Weight: 104 kg



CYLINDER 5 TON STROKE 50MM

MPC0550

Weight: 2 kg



CYLINDER 200 TON STROKE 50MM

MPC20050

Weight: 52 kg



CYLINDER 5 TON STROKE 150MM

MPC05150

Weight: 2 kg



CYLINDER 300 TON STROKE 50MM

MPC30050

Weight: 82 kg



CYLINDER 150 TON STROKE 50MM

MC15050

Weight: 34 kg

HOLLOW CYLINDERS



HOLLOW CYLINDER 30 TON STROKE 100MM

MHC30100

- ✓ Incl. side handles
- ✓ 700 bar max working pressure
- ✓ Adjustable top saddle
- ✓ Hard coat finish
- ✓ High-strength

Capacity	30 Ton
Stroke	100 mm
Pressure max.	700 Bar
Oil capacity	0.512 L
Outside diameter	118 mm
Effective pressure area	51.1 cm ²
Bore diameter	95 mm
Principal axis diameter	70 mm



HOLLOW CYLINDER 30 TON STROKE 50MM

MHC3050

- ✓ Incl. side handles
- ✓ 700 bar max working pressure
- ✓ Adjustable top saddle
- ✓ Hard coat finish
- ✓ High-strength

Capacity	20 Ton
Stroke	50 mm
Pressure max.	700 Bar
Oil capacity	0.256 L
Outside diameter	118 mm
Effective pressure area	51.1 cm ²
Bore diameter	95 mm
Principal axis diameter	70 mm



HOLLOW CYLINDER 60 TON STROKE 100MM

MHC60100

- ✓ Incl. side handles
- ✓ 700 bar max working pressure
- ✓ Adjustable top saddle
- ✓ Hard coat finish
- ✓ High-strength

Capacity	60 Ton
Stroke	100 mm
Pressure max.	700 Bar
Oil capacity	0.848 L
Outside diameter	187 mm
Effective pressure area	84.7 cm ²
Bore diameter	135 mm
Principal axis diameter	100 mm



HOLLOW CYLINDER 100 TON STROKE 75MM

MHC10075

- ✓ Incl. side handles
- ✓ 700 bar max working pressure
- ✓ Adjustable top saddle
- ✓ Hard coat finish
- ✓ High-strength

Capacity	100 Ton
Stroke	75 mm
Pressure max.	700 Bar
Oil capacity	1.259 L
Outside diameter	224 mm
Effective pressure area	167.8 cm ²
Bore diameter	180 mm
Principal axis diameter	145 mm



HOLLOW CYLINDER 60 TON STROKE 50MM

MHC6050

- ✓ Incl. side handles
- ✓ 700 bar max working pressure
- ✓ Adjustable top saddle
- ✓ Hard coat finish
- ✓ High-strength

Capacity	60 Ton
Stroke	50 mm
Pressure max.	700 Bar
Oil capacity	0.424 L
Outside diameter	165 mm
Effective pressure area	84.7 cm ²
Bore diameter	135 mm
Principal axis diameter	100 mm



HOLLOW CYLINDER 20 TON STROKE 50MM

MHC2050

- ✓ Incl. side handles
- ✓ 700 bar max working pressure
- ✓ Adjustable top saddle
- ✓ Hard coat finish
- ✓ High-strength

Capacity	20 Ton
Stroke	50 mm
Pressure max.	700 Bar
Oil capacity	0.164 L
Outside diameter	95 mm
Effective pressure area	32.8 cm ²
Bore diameter	75 mm
Principal axis diameter	55 mm



HOLLOW CYLINDER 30 TON STROKE 150MM

MHC30150

- ✓ Incl. side handles
- ✓ 700 bar max working pressure
- ✓ Adjustable top saddle
- ✓ Hard coat finish
- ✓ High-strength

Capacity	30 Ton
Stroke	150 mm
Pressure max.	700 Bar
Oil capacity	0.767 L
Outside diameter	138 mm
Effective pressure area	51.1 cm ²
Bore diameter	95 mm
Principal axis diameter	70 mm



HOLLOW CYLINDER 20 TON STROKE 100MM

MHC20100

- ✓ Incl. side handles
- ✓ 700 bar max working pressure
- ✓ Adjustable top saddle
- ✓ Hard coat finish
- ✓ High-strength

Capacity	20 Ton
Stroke	100 mm
Pressure max.	700 Bar
Oil capacity	0.328 L
Outside diameter	95 mm
Effective pressure area	32.8 cm ²
Bore diameter	75 mm
Principal axis diameter	55 mm



HOLLOW CYLINDER 60 TON STROKE 150MM

MHC60150

- ✓ Incl. side handles
- ✓ 700 bar max working pressure
- ✓ Adjustable top saddle
- ✓ Hard coat finish
- ✓ High-strength

Capacity	60 Ton
Stroke	50 mm
Pressure max.	700 Bar
Oil capacity	0.424 L
Outside diameter	165 mm
Effective pressure area	84.7 cm ²
Bore diameter	135 mm
Principal axis diameter	100 mm



HOLLOW CYLINDER 20 TON STROKE 150MM

MHC20150

- ✓ Incl. side handles
- ✓ 700 bar max working pressure
- ✓ Adjustable top saddle
- ✓ Hard coat finish
- ✓ High-strength

Capacity	20 Ton
Stroke	150 mm
Pressure max.	700 Bar
Oil capacity	0.492 L
Outside diameter	113 mm
Effective pressure area	32.8 cm ²
Bore diameter	75 mm
Principal axis diameter	55 mm

HAND AND FOOTPUMPS



HYDRAULIC FOOT PUMP 700 BAR 480ML

TFP800

- ✓ Foot operation
- ✓ 700 bar working pressure
- ✓ Dual-stage pump
- ✓ Includes hose and C19M quick coupling

Working pressure max.	700 bar
Oil capacity	700 cc
Pressure low setting	20 Bar
Pressure high setting	700 Bar
Output volume low pressure	11 ml per stroke
Output volume high pressure	1.4 ml per stroke
Weight	15 kg



HYDRAULIC HAND PUMP 700 BAR 600ML
CP700

Weight: 11 kg



HYDRAULIC HAND PUMP 700 BAR 2000ML
CP700B

Weight: 14 kg



HYDRAULIC HAND PUMP 700 BAR 320ML
CP390

Weight: 6 kg



HYDRAULIC HAND PUMP 700 BAR 120ML
CP180B

Weight: 5 kg

DOUBLE FLAT CYLINDERS



FLAT CYLINDER DOUBLE 100 TON STROKE 75MM

MFL100D

Capacity	100 ton
Pressure max.	700 Bar
Stroke	75 mm
Effective pressure area	95cm ²
Oil capacity	0.225 L
Cylinder height	86 mm
Outside diameter	185 × 160 mm
Bore diameter	130 mm



FLAT CYLINDER DOUBLE 30 TON STROKE 53MM

MFL30D

Weight: 5 kg



FLAT CYLINDER DOUBLE 50 TON STROKE 64MM

MFL50D

Weight: 7.5 kg



FLAT CYLINDER DOUBLE 10 TON STROKE 25MM

MFL10D

Weight: 2 kg



FLAT CYLINDER DOUBLE 20 TON STROKE 26MM

MFL20D

Weight: 3 kg

HYDRAULIC GEAR PUMP AND MOTOR



HYDRAULIC AIR PUMP PLASTIC HOUSING 6-12 BAR

HA3

- ✓ User friendly
- ✓ Compact & sturdy
- ✓ Small design, big pressure

Weight

9 kg



HYDRAULIC AIR PUMP

HA1

Weight: 8.92 kg



HYDRAULIC AIR PUMP PLASTIC HOUSING

HA2

Weight: 8 kg



HOSE FOR HYDRAULIC AIR PUMP HA1

HA1S

Weight: 0.49 kg

ELECTRIC PUMPS



ELECTRIC HYDRAULIC PUMP

TEP700B

Weight: 18.88 kg

FLAT CYLINDERS



FLAT CYLINDER 10 TON STROKE 11MM
MFL10
Weight: 2 kg



FLAT CYLINDER 20 TON STROKE 11MM
MFL20
Weight: 3 kg



FLAT CYLINDER 50 TON STROKE 16MM
MFL50
Weight: 8 kg



FLAT CYLINDER 30 TON STROKE 12MM
MFL30
Weight: 5 kg



FLAT CYLINDER 100 TON STROKE 16MM
MFL100
Weight: 18 kg



FLAT CYLINDER 200 TON STROKE 18MM
MFL200
Weight: 38 kg


ACCESSORIES



HYDRAULIC HOSE HAND PUMP
HH1S

- ✓ 1.5mtr length
- ✓ Incl C18S coupler
- ✓ 700 bar working pressure

Fittings	1/4"
Thread type	NPT
Length	1500mm
Pressure max.	700 Bar
Quick coupler	C18S
Weight	0.83 kg



T-JOINT WITH PRESSURE GAUGE
T18CM

Weight: 1.21 kg



EXTENSION HOSE WITH COUPLERS 2M
HP2HC

Weight: 1.03 kg



HYDRAULIC QUICK DISCONNECT 3/8" NPT
C19M

Weight: 0.4 kg



CONNECTING HOSE WITH COUPLERS 2M
HP2AS

Weight: 1.2 kg



HYDRAULIC QUICK DISCONNECT 3/8
C18L

Weight: 0.2 kg



HYDRAULIC QUICK DISCONNECT 1/4" NPT
C18S

Weight: 0.12 kg



T-JOINT FOR EXTENSION HOSE
T18C

Weight: 1.5 kg

HOLE PUNCHING TOOLS



PUNCH DRIVER KIT
SYK15
Weight: 15 kg



HYDRAULIC PUNCH DRIVER
TPA8
Weight: 6 kg



PUNCH DRIVER WITH DIES
CC60
Weight: 5 kg



PUNCH DRIVER WITH ROTATING HEAD
WK12AL
Weight: 7 kg

SQUARE PUNCHES



PUNCH DIE SQUARE 92 X 92MM
PB9292S
Weight: 6.59 kg



PUNCH DIE SQUARE 35 X 112MM
PB3511S
Weight: 4.3 kg




PUNCH DIE SQUARE 68 X 68MM
PB6868S
Weight: 4.5 kg

ZUPPER



PUNCH DIE SQUARE 35 X 52MM
PB3552S

ZUPPER



PUNCH DIE SQUARE 35 X 65MM
PB3565S

ZUPPER



HOLE PUNCH SQUARE 46 X 46MM
PB4646S

ZUPPER



PUNCH DIE SQUARE 164 X 85MM
PB1685S

PULLING CYLINDERS



PULL BACK CYLINDER HYDRAULIC 20 TON
PB20R
Weight: 21 kg



PULL CYLINDER 10 TON HYDRAULIC
PB10R
Weight: 12 kg

LONG CYLINDERS



AIR MANUAL LONG RAM JACK 8 TON
LRJ8A

Weight: 16.5 kg



LONG CYLINDER RAM JACK 8 TON
LRJ8H

Weight: 11 kg

CABLE CUTTERS



CABLE CUTTING HEAD 100MM
CPC100B

Weight: 12.1 kg



HYDRAULIC CABLE CUTTING HEAD 50MM
CC50B

Weight: 8.5 kg



HYDRAULIC REBAR CUTTER
CPC22A

Weight: 5.4 kg

ROUND PUNCHES



PUNCH DIE ROUND 80MM
PB0800R

Weight: 3 kg



PUNCH DIE, ROUND, 20MM
PB0200R

Weight: 0.1 kg



PUNCH DIE, ROUND, 43MM
PB0430R



WWW.VALKENPOWER.COM

PUNCH DIE, ROUND, 51MM
PB0510R



PUNCH DIE ROUND 22MM
PB0220R

Weight: 0.13 kg



WWW.VALKENPOWER.COM

PUNCH DIE, ROUND, 27,5MM
PB0275R



WWW.VALKENPOWER.COM

PUNCH DIE, ROUND, 26,2MM
PB0262R

Weight: 0.2 kg



WWW.VALKENPOWER.COM

PUNCH DIE, ROUND, 34MM
PB0340R



WWW.VALKENPOWER.COM

PUNCH DIE, ROUND, 49MM
PB0490R

DRAW STUDS



DRAW STUD FOR ROUND PUNCHES 16 - 27,5MM
PBR01S

Weight: 0.15 kg



DRAW STUD FOR RECTANGULAR PUNCHES 92 - 118MM
PBS01

Weight: 0.41 kg



DRAW STUD FOR ROUND PUNCHES 28 - 82MM
PBR07

Weight: 0.3 kg



DRAW STUD FOR SQUARE PUNCHES 68MM
PBS02

Weight: 0.3 kg



DRAW STUD FOR SQUARE PUNCHES 35 - 112MM
PBS03

Weight: 0.3 kg

07



COLLECTION 07 · 67 PRODUCTS

WORKSHOP EQUIPMENT

Fluid distribution, waste oil equipment, cleaning devices and workshop trolleys for a clean and efficient workshop.

Oil

drainers and vacuum pots

3

level workshop trolleys

Body repair sets 5

Waste oil equipment 5

Wheel dollies 3

Engine stands 3

Parts washers 4

Crimping pliers 4

Hydraulic gear pullers 5

Car creepers and seats 3

Retention trays 3

Oil distribution 2

Attachments 21

Tyre changer accessories 1

Pipe tools 2

Oil 3

Cable cutters 2

Diagonal cutting pliers 1

JACKS

HANDLING

PALLET TRUCKS

PRESSES

BIKE LIFTS

HYDRAULICS

WORKSHOP

LIFT TABLES

CRANES

CASTORS

TOOLS

BODY REPAIR SETS

BODY REPAIR KIT 10 TON HYDRAULIC

PHE10

- ✓ Quick lifting pump
- ✓ Integrated double plunger system
- ✓ Sturdy storage case

Weight 31 kg



BODY REPAIR KIT 4 TON HYDRAULIC

PHE04

- ✓ Indispensable for every car garage
- ✓ Quick click system
- ✓ Sturdy storage case

Weight 19 kg



BODY REPAIR KIT 20 TON HYDRAULIC
PHE20

Weight: 65 kg



BODY REPAIR KIT CYLINDER 7 PIECES
CRS7P

Weight: 23 kg



FLANGE SEPARATOR 500KG
PHE20SP

Weight: 1.8 kg

WASTE OIL EQUIPMENT



OIL DRAINER FOR BARRELS

OT5C0

- ✓ Easy to adjust height in different ways
- ✓ Ideal for use with car lifts
- ✓ Can be operated with just one hand

Weight 15 kg



PNEUMATIC OIL EXTRACTOR 65L LUXE
OD2097

Weight: 25.2 kg



PNEUMATIC OIL EXTRACTOR 65L
OD2081

Weight: 19.1 kg



PNEUMATIC OIL EXTRACTOR 65L
OD2085

Weight: 19.8 kg



PORTABLE ECONOMIC OIL DRAINER 30L
OD30P

Weight: 6 kg

WHEEL DOLLIES



WHEEL DOLLY 1.5 TON WITH 4 WHEELS

WD15HS

- ✓ High load capacity 1500 kg
- ✓ Height-adjustable safety bar
- ✓ Freight cost saving assembly design
- ✓ Eight ball-bearing steel rollers
- ✓ 4 swivel wheels, two with brakes

Lifting capacity	1500 kg
Lifting height range	0 - 750 mm
Wheel diameter range	1000 - 2000 mm
Wheel width max.	810 mm
Material	Steel
Weight	148 kg



WHEEL DOLLY 1.5 TON WITH 5 WHEELS

WD15HW

- ✓ High load capacity 1500 kg
- ✓ Height-adjustable safety bar incl quick lock system
- ✓ Handles wheels up to 2200 mm in diameter
- ✓ 5 swivel wheels, two with brakes
- ✓ Eight ball-bearing steel rollers incl spring for correct positioning

Lifting capacity	1500 kg
Lifting height range	0 - 750 mm
Wheel diameter range	1000 - 2200 mm
Wheel width max.	1100 mm
Material	Steel
Weight	161 kg



MAMMUTH WHEEL DOLLY WITH HANDLE

WD01M

- ✓ Precise positioning
- ✓ Durable construction
- ✓ Weight 7.6 kg

Load capacity	136 kg
Wheel diameter range	914 mm - 1219 mm (36" - 48")
Roller length	241.3 mm
Distance between rollers	495 mm
Material frame	Steel
Wheel material	Polypropylene
Wheel diameter	76.2 mm
Weight	8.7 kg

ENGINE STANDS



ENGINE STAND FOLDABLE 680KG

ES15F

- ✓ Foldable
- ✓ Rotating plate
- ✓ Adjustable mounting arms
- ✓ Handle holder
- ✓ 5 wheels

Material	Steel
Capacity	680 kg
Wheel material	Steel
Front wheel diameter	ø76 mm
Middle wheel diameter	ø62 mm
Rear wheel diameter	ø85 mm
Length folded	390 mm
Width folded	820 mm



ENGINE STAND 450KG

ES10

- ✓ Rotating plate
- ✓ Adjustable mounting arms

Material	Steel
Capacity	450 kg
Wheel material	Steel
Wheel diameter	ø76 mm
Weight	20 kg



ENGINE SUPPORT 500KG

ES1MH

- ✓ Adjustable width
- ✓ Adjustable height
- ✓ Chain

Material	Steel
Capacity	500 kg
Adjustable width	0 - 1500 mm
Adjustable height	0 - 320 mm
Chain length	820 mm
Weight	16 kg

PARTS WASHERS



PARTS WASHER 90 LITER
PW20E
Weight: 28 kg



PARTS WASHER 40 GALLON
PW40E
Weight: 45 kg



PARTS WASHER WALL-MODEL 14 LITER
PW10W
Weight: 26 kg



PARTS WASHER 13 LITER
PW03E
Weight: 7.5 kg

CRIMPING PLIERS



HYDRAULIC CRIMPING TOOL 4-70MM2
YQK70
Weight: 3.6 kg



HYDRAULIC CRIMPING TOOL WITH SAFETY SYSTEM 16-300MM2
KYQ300
Weight: 9.5 kg



HYDRAULIC CRIMPING TOOL 16-300MM2
YQK300
Weight: 6.62 kg



HYDRAULIC CRIMPING TOOL 16-400MM
C0400B

Weight: 7 kg

HYDRAULIC GEAR PULLERS



GEAR PULLER HYDRAULIC 20 TON
HGP20

Weight: 15 kg



GEAR PULLER HYDRAULIC 5 TON
HGP05

Weight: 13 kg



GEAR PULLER HYDRAULIC 10 TON
HGP10

Weight: 15 kg



HYDRAULIC PULLER 50 TON
HGP50

Weight: 35 kg



GEAR PULLER HYDRAULIC 30 TON
HGP30

Weight: 28 kg

CAR CREEPERS AND SEATS



PLASTIC CAR CREEPER

CC37PL

- ✓ Ergonomic design
- ✓ Easy and quick to clean
- ✓ Resistant to oils and greases
- ✓ Comfortable head pillow
- ✓ 2 removable magnetic trays

Weight 6.5 kg



PNEUMATIC MECHANICS SEAT

PCS1

Load capacity: 120 kg
Weight: 6.6 kg



KNEELING CREEPER 108KG

KN108KG

Weight: 2.6 kg

RETENTION TRAYS



OIL DRAIN DOLLY WITH HAND PUMP 17 GALLONS

OD65PC

Weight: 19.5 kg



OIL DRAIN PAN WITH SPOUT

OD16

Weight: 0.97 kg



OIL DRIP TRAY

ODT02

Weight: 1 kg

OIL DISTRIBUTION



DRUM TROLLEY STAINLESS STEEL 200L DRUMS

DT200LST

Lifting capacity	3000 kg
Thickness	4 mm
Material	Stainless steel
Drum capacity	200 L
Casters size	75 × 35 mm
Ring diameter (inside)	610 mm
Support strips width	81 mm
Upstand height	50 mm



DRUM TROLLEY STEEL 200L DRUMS

DT200LI

- ✓ Capacity 410Kg
- ✓ 200L drums
- ✓ Heavy duty steel
- ✓ Incl 4 swivel wheels
- ✓ Open bottom

Lifting capacity	410 kg
Thickness	4 mm
Material	Steel
Drum capacity	200 L
Casters size	76 × 31 mm
Ring diameter (inside)	610 mm
Support strips width	81 mm
Upstand height	50 mm

ATTACHMENTS



PUMP FOR PARTS WASHER
PPW20EC

Weight: 2.5 kg



PARTS WASHER BRUSH WITH HOSE
BPW5

Weight: 0.3 kg



PUMP FOR PARTS WASHER
PPW20E

Weight: 0.68 kg



STRAINER FOR OIL EXTRACTION UNIT
S2097

Weight: 0.4 kg



FLEXIBLE HOSE FOR PARTS WASHER PW20E / PW40E
PPW01SB

Weight: 0.4 kg



DEGREASER GUN
PART10WDG

Weight: 0.24 kg



FLEXIBLE HOSE FOR DEGREASER TANK FOR PW03E
PPW01SS



FILTER FOR PUMP FROM PARTS WASHER
PPW20EF

Weight: 0.1 kg



SUCTION PROBE FOR OIL EXTRACTION UNIT 6X700MM NYLON
OEP6701

Weight: 0.2 kg



SUCTION PROBE FOR OIL EXTRACTION UNIT 8X700MM NYLON
OEP8700

Weight: 0.2 kg



SUCTION PROBE FOR OIL EXTRACTION UNIT 8X980MM NYLON
OEP71000

Weight: 0.2 kg



SUCTION PROBE FOR OIL EXTRACTION UNIT 6X980MM NYLON
OEP5701

Weight: 0.2 kg



**SUCTION PROBE FOR OIL EXTRACTION UNIT
6X700MM COPPER**

0EP6702

Weight: 0.2 kg



PROBE SLEEVE FOR OIL EXTRACTION UNIT

PS2097


Weight: 0.3 kg



HEAT RESISTANT FOAM FOR OIL EXTRACTION UNIT

HPF2097

Weight: 0.1 kg



CORNER BRACKET FOR OIL EXTRACTION UNIT

0EH2097

Weight: 0.3 kg



MINI BALL VALVE FOR OIL EXTRACTOR

MBV2097

Weight: 0.2 kg



OIL CUP FOR OIL EXTRACTION UNIT

0C2097

Weight: 0.2 kg



**SUCTION PROBE FOR OIL EXTRACTION UNIT
5X700MM COPPER**

0EP5702

Weight: 0.2 kg



VACUUM POT FROM OD2097

VP2097

Weight: 2.24 kg



**VACUUM POT INCLUDING HOSES AND COUPLINGS
FROM OD2097**

CA2097

Weight: 4.47 kg

TYRE CHANGER ACCESSORIES



HYDRAULIC PORTABLE BEAD BREAKER
HBR01

Weight: 16.1 kg

PIPE TOOLS



DEBURRING SET 16, 20, 25, 32 MM

DBT02

- ✓ Calibrate
- ✓ Deburring
- ✓ Shortening
- ✓ Wide range 16, 20, 25, 32mm
- ✓ For pex and multilayer pipe

Material	Steel
Deburring range	16, 20, 25, 32 mm
Weight	0.89 kg

CALIBRATOR DEBURRING WATER PIPES

DBT01

- ✓ Re Calibrating & Trimming pipes
- ✓ Suitabable for multilayer pipes
- ✓ Wide range 16, 18, 20, 26, 32mm
- ✓ Hardened steel
- ✓ Solid handle

Material	Gehard staal
Deburring range	16 × 2; 18 × 2; 20 × 2; 26 × 3; 32 × 3 mm
Weight	0.3 kg



OIL



MAMMUTH HYDRAULIC OIL 20L CH22
0CH22V20

Weight: 17.8 kg



HYDRAULIC OIL MAMMUTH CH 15 V 1L
0HCH15V

Weight: 0.9 kg



JACK OIL MAMMUTH CH 68 1L
0KCH68

Weight: 0.9 kg

CABLE CUTTERS



CABLE CUTTER 500MM²
TC500

Weight: 3 kg



CABLE CUTTER 240MM²
TC250

Weight: 1.8 kg

DIAGONAL CUTTING PLIERS



LOOSE BLADES FOR HYDRAULIC REBAR CUTTER
CPC22ALB

Weight: 0.16 kg

08



COLLECTION 08 · 5 PRODUCTS

LIFT TABLES

Electric lift tables of 1,000 kg (230 V) and 2,000 kg (400 V) and mobile lifting tables for working at the right height.

2,000 kg
electric lift table

230 / 400 V
power supply

Electric lift tables 2

Lifting tables 3

JACKS

HANDLING

PALLET TRUCKS

PRESSES

BIKE LIFTS

HYDRAULICS

WORKSHOP

LIFT TABLES

CRANES

CASTORS

TOOLS

ELECTRIC LIFT TABLES



ELECTRIC LIFT TABLE 1000KG 230V

LT11HE

- ✓ Both built-in and surface-mounted possible
- ✓ Ergonomic working height
- ✓ Stepless height adjustment
- ✓ Equipped with safety edge
- ✓ Fixed design, with single scissors

Lifting capacity	1000 kg
Lifting height min.	210 mm
Voltage	230V
Lifting height max. incl. pads	1000 mm
Platform dimensions	820 × 1300 mm
Oil type	1.5L
Platform height	60 mm
Motor capacity	1.1 kW



ELECTRIC LIFT TABLE 2000KG 400V

LT22HE

- ✓ Both built-in and surface-mounted possible
- ✓ Ergonomic working height
- ✓ Stepless height adjustment
- ✓ Equipped with safety edge
- ✓ Fixed design, with single scissors

Lifting capacity	2000 kg
Lifting height min.	230 mm
Voltage	400V
Lifting height max. incl. pads	1000 mm
Platform height	60 mm
Cable control length	3.7 m
Lifting time	17 sec.
Oil capacity	3 L

LIFTING TABLES



MAMMUTH MOBILE LIFT TABLE 300KG WITH DOUBLE SCISSORS

LT3HHM

- ✓ Operated by foot pedal
- ✓ Controlled lowering
- ✓ 4 wheels, 2 of which have brakes
- ✓ Includes rubber mat
- ✓ High working height (1285 mm)

Lifting capacity	300 kg
Min. height	350 mm
Max. height	1285 mm
Platform dimensions	820 × 520 mm
Material	Steel
Oil capacity	0.260 L
Oil type	OHCH15V
Wheel diameter	127 mm



MAMMUTH MOBILE LIFTING TABLE 500KG

LT50L

- ✓ Operated by foot pedal
- ✓ Controlled lowering
- ✓ 4 wheels, 2 of which have brakes
- ✓ Includes rubber mat
- ✓ Carrying capacity of up to 500 kg

Lifting capacity	500 kg
Min. height	390 mm
Max. height	910 mm
Platform dimensions	852 × 502 mm
Material	Steel
Oil capacity	0.240 L
Oil type	OHCH15V
Wheel diameter	125 mm



MAMMUTH MOBILE LIFTING TABLE 225KG

LT22L

- ✓ Operated by foot pedal
- ✓ Controlled lowering
- ✓ 4 wheels, 2 of which have brakes
- ✓ Includes rubber mat
- ✓ Lightweight design (36.3 kg)

Lifting capacity	225 kg
Lifting height min.	225 mm
Lifting height max.	710 mm
Platform dimensions	708 × 450 mm
Material	Steel
Oil capacity	0.220 L
Oil type	OHCH15V
Wheel diameter	100 mm

09



COLLECTION 09 · 14 PRODUCTS

SHOP CRANES

Shop cranes from 450 kg to 2 tons, quicklift cranes, a pick-up crane and a mobile gantry crane for lifting engines and heavy parts.

2 t

maximum capacity

Quicklift

fast lifting system

Engine cranes 12

Pick up cranes 2

JACKS

HANDLING

PALLET TRUCKS

PRESSES

BIKE LIFTS

HYDRAULICS

WORKSHOP

LIFT TABLES

CRANES

CASTORS

TOOLS

ENGINE CRANES



SHOP CRANE 2 TON

CE2TT

- ✓ Weight 91kg
- ✓ Foldable
- ✓ Turn knob for lowering
- ✓ Lifting capacity 2 tons
- ✓ 4 positions

Material	Steel
Lifting capacity	2000 kg
Length folded	590 mm
Width folded	480 mm
Height folded	1515 mm
Base height	200 mm
Wheel material	Cast iron
Front wheel diameter	ø110 mm



SHOP CRANE 1 TON

CE1TT

- ✓ Weight 66kg
- ✓ Foldable
- ✓ Turn knob for lowering
- ✓ 4 positions

Material	Steel
Lifting capacity	1000 kg
Length folded	570 mm
Width folded	485 mm
Height folded	1520 mm
Base height	185 mm
Wheel material	Cast iron
Front wheel diameter	ø89 mm



SHOP CRANE QUICKLIFT 1 TON PARALLEL BASE

CE1TPW

- ✓ Low base
- ✓ Glass-reinforced nylon wheels
- ✓ Controlled lowering speed
- ✓ Quick lift system with rotating cylinder
- ✓ 5 positions with automatic locking

Material	Steel
Lifting capacity	1000 kg
Length folded	680 mm
Width folded	945 mm
Height folded	1550 mm
Base height	105 mm
Inner width of the base	1045 mm
Wheel material	Fibreglass-reinforced nylon

MAMMUTH MOBILE GANTRY CRANE 2 TON

PTK20

- ✓ Mobile
- ✓ Height adjustable
- ✓ Sturdy steel frame
- ✓ Inner width 2350 mm
- ✓ Polyurethane wheels

Load capacity	2000 kg
Min. height	2600 mm
Max. height	3700 mm
Bridge girder	IPE180
Bridge girder length	2200 mm
Profile depth	180 mm
Web thickness	7 mm
Flange width	95 mm



MAMMUTH MOBILE GANTRY CRANE 1 TON

PTK10

- ✓ Mobile
- ✓ Height adjustable
- ✓ Sturdy steel frame
- ✓ Inner width 2200 mm
- ✓ Polyurethane wheels

Load capacity	1000 kg
Min. height	2500 mm
Max. height	3590 mm
Bridge girder	IPE140
Bridge girder length	2200 mm
Profile depth	140 mm
Web thickness	7 mm
Flange width	80 mm



MAMMUTH MOBILE GANTRY CRANE 1 TON SET - ELECTRIC WIRE ROPE HOIST

PTK10K2

- ✓ Mobile
- ✓ Height adjustable
- ✓ Sturdy steel frame
- ✓ Polyurethane wheels
- ✓ Comes as a complete set

Load capacity	1000 kg
Min. height	2500 mm
Max. height	3590 mm
Bridge girder	IPE140
Bridge girder length	2200 mm
Profile depth	140 mm
Web thickness	7 mm
Flange width	80 mm





SHOP CRANE QUICKLIFT 1 TON

CE1TP

- ✓ Low base
- ✓ Glass-reinforced nylon wheels
- ✓ Controlled lowering speed
- ✓ Quick lift system with rotating cylinder
- ✓ 5 positions with automatic locking

Material	Steel
Lifting capacity	1000 kg
Length folded	680 mm
Width folded	390 mm
Height folded	1550 mm
Base height	105 mm
Wheel material	Fibreglass-reinforced nylon
Wheel diameter	ø92 mm



MAMMUTH MOBILE GANTRY CRANE 2 TON SET - ELECTRIC WIRE ROPE HOIST

PTK20K2

- ✓ Mobile
- ✓ Height adjustable
- ✓ Sturdy steel frame
- ✓ Polyurethane wheels
- ✓ Comes as a complete set

Load capacity	2000 kg
Min. height	2600 mm
Max. height	3700 mm
Bridge girder	IPE180
Bridge girder length	2200 mm
Profile depth	180 mm
Web thickness	7 mm
Flange width	95 mm



SHOP CRANE QUICKLIFT 600KG

CE6TP

- ✓ Low base
- ✓ Glass-reinforced nylon wheels
- ✓ Controlled lowering speed
- ✓ Quick lift system with rotating cylinder
- ✓ 5 positions with automatic locking

Material	Steel
Lifting capacity	600 kg
Length folded	665 mm
Width folded	390 mm
Height folded	1540 mm
Base height	92 mm
Wheel material	Fibreglass-reinforced nylon
Wheel diameter	ø105 mm



MAMMUTH MOBILE GANTRY CRANE 1 TON SET - MANUAL CHAIN HOIST

PTK10K1

- ✓ Mobile
- ✓ Height adjustable
- ✓ Sturdy steel frame
- ✓ Polyurethane wheels
- ✓ Comes as a complete set

Load capacity	1000 kg
Min. height	2500 mm
Max. height	3590 mm
Bridge girder	IPE140
Bridge girder length	2200 mm
Profile depth	140 mm
Web thickness	7 mm
Flange width	80 mm



MAMMUTH MOBILE GANTRY CRANE 2 TON SET - MANUAL CHAIN HOIST

PTK20K1

- ✓ Mobile
- ✓ Height adjustable
- ✓ Sturdy steel frame
- ✓ Polyurethane wheels
- ✓ Comes as a complete set

Load capacity	2000 kg
Min. height	2600 mm
Max. height	3700 mm
Bridge girder	IPE180
Bridge girder length	2200 mm
Profile depth	180 mm
Web thickness	7 mm
Flange width	95 mm




ENGINE LEVELER 680KG

EL10

Weight: 5.2 kg

PICK UP CRANES



PICKUP CRANE 900KG

TC90H

- ✓ Foldable
- ✓ 360-degree rotation
- ✓ Easy installation
- ✓ Lifting capacity 900kg
- ✓ 2 positions

Material	Steel
Lifting capacity	900 kg
Oil capacity	0.51 L
Oil type	OKCH68
Weight	52 kg



PICKUP CRANE 450KG WITH HAND WINCH

TC45HW

- ✓ Foldable
- ✓ 360-degree rotation
- ✓ Easy installation
- ✓ Hand winch
- ✓ 2 positions

Material	Steel
Lifting capacity	450 kg
Oil capacity	0.51 L
Oil type	OKCH68
Weight	53 kg

10



COLLECTION 10 · 59 PRODUCTS

CASTORS AND WHEELS

Fixed and swivel castors, with or without brake, and loose wheels in rubber and polyurethane.

PU

or rubber treads

40-200 mm

wheel diameter

Loose wheels 19

Swivel wheels 16

Swivel wheels with brake 12

Fixed wheels 12

JACKS

HANDLING

PALLET TRUCKS

PRESSES

BIKE LIFTS

HYDRAULICS

WORKSHOP

LIFT TABLES

CRANES

CASTORS

TOOLS

LOOSE WHEELS



LOOSE WHEEL 80 X 70MM PU
SK01LPU
Weight: 1 kg



LOOSE WHEEL 180 X 50MM PU
PT20BW
Weight: 2.57 kg



LOOSE WHEEL 80 X 90MM PU
PT20NW
Weight: 1.27 kg



LOOSE WHEEL 260 X 85MM MASSIVE RUBBER
MW10I
Weight: 1.8 kg



LOOSE WHEEL FOR HAND TROLLEY 258 X 82MM
CW10HT
Weight: 1.6 kg



LOOSE WHEEL 400 X 80MM MASSIVE RUBBER
WHR16
Weight: 19.5 kg



LOOSE WHEEL 200 X 100MM PU
WSHT08P
Weight: 13.2 kg



LOOSE WHEEL 250 X 100MM PU
WSHT10PL
Weight: 14 kg




LOOSE WHEEL 200 X 67MM MASSIVE RUBBER
WHR08
Weight: 3.6 kg



LOOSE WHEEL 300 X 80MM MASSIVE RUBBER
WHR12

Weight: 12 kg



LOOSE WHEEL 115 X 60MM PU
SK12LPE

Weight: 3 kg



LOOSE WHEEL FOR HAND TROLLEY 258 X 82MM
OLD MODEL
CW10HT0

Weight: 1.6 kg



LOOSE WHEEL 350 X 80MM MASSIVE RUBBER
WHR14

Weight: 15.5 kg



LOOSE WHEEL 250 X 70MM MASSIVE RUBBER
WHR10

Weight: 6.9 kg



LOOSE WHEEL 90 X 85MM NYLON
SK01LPE

Weight: 0.6 kg



LOOSE WHEEL 255 X 60MM MASSIVE RUBBER
WWF45

Weight: 5.62 kg



LOOSE WHEEL 150 X 65MM MASSIVE RUBBER
WHR06

Weight: 3.52 kg



LOOSE WHEEL 200 X 55MM MASSIVE RUBBER
WWF35

Weight: 3.43 kg



LOOSE WHEEL 160 X 50MM MASSIVE RUBBER
WWF25

Weight: 2.44 kg

SWIVEL WHEELS



SWIVEL CASTOR 245 X 70MM RUBBER
WSHT10RS

Weight: 12.29 kg



SWIVEL CASTOR 260 X 82MM MASSIVE RUBBER
WHT10RSM

Weight: 3.5 kg



SWIVEL CASTOR 100 X 40MM PU
W100PS

Weight: 1.1 kg



SWIVEL CASTOR 200 X 50MM PU
WH200PS

Weight: 4 kg



SWIVEL CASTOR 250 X 100MM PU
WSHT10PS

Weight: 22.2 kg



SWIVEL CASTOR 217 X 57MM MASSIVE RUBBER
WHT8RSM

Weight: 2.8 kg



SWIVEL CASTOR 200 X 30MM RUBBER
WE200RS

Weight: 3.2 kg



SWIVEL CASTOR 150 X 45MM PU
W150PS

Weight: 2.27 kg



SWIVEL CASTOR 200 X 50MM RUBBER
WH200RS

Weight: 3.57 kg



SWIVEL CASTOR 125 X 25MM PU
W125PS

Weight: 0.86 kg



SWIVEL CASTOR 50 X 23MM PU THREADED ROD
W050PSP

Weight: 0.21 kg



SWIVEL CASTOR 50 X 27MM PU
W050PS

Weight: 0.24 kg



SWIVEL CASTOR 40 X 22MM PU
W040PS

Weight: 0.17 kg



SWIVEL CASTOR FOR MOTORCYCLE LIFT ML13HS
ML13SW

Weight: 0.3 kg



SWIVEL CASTOR 40 X 20MM PU THREADED ROD
W040PSP

Weight: 0.15 kg



SWIVEL CASTOR FOR TRANSMISSION JACK TJ5N
SWTJ5N

Weight: 0.32 kg

SWIVEL WHEELS WITH BRAKE



SWIVEL CASTOR WITH BRAKE 100 X 40MM PU
W100PSDB

Weight: 1.24 kg



SWIVEL CASTOR WITH DOUBLE BRAKE 200 X 50MM RUBBER
WH200RSDB

Weight: 4.55 kg



SWIVEL CASTOR WITH BRAKE 200 X 50MM PU
WH200PSB

Weight: 4.4 kg



SWIVEL CASTOR WITH BRAKE 200 X 30MM RUBBER
WE200RSDB

Weight: 3.61 kg



SWIVEL CASTOR WITH BRAKE 50 X 25MM PU
W050PSDB

Weight: 0.29 kg



SWIVEL CASTOR WITH BRAKE 150 X 45MM PU
W150PSDB

Weight: 2.71 kg



SWIVEL CASTOR WITH BRAKE 125 X 25MM PU
W125PSDB

Weight: 0.96 kg



SWIVEL CASTOR WITH BRAKE 200 X 50MM RUBBER
WH200RSB

Weight: 4.16 kg



SWIVEL CASTOR WITH BRAKE 50 X 23MM PU THREADED ROD
W050PSPB

Weight: 0.26 kg



SWIVEL CASTOR WITH BRAKE 40 X 20MM PU
W040PSDB

Weight: 0.21 kg



SWIVEL CASTOR WITH BRAKE FOR MOTORCYCLE LIFT ML13HS
ML13SWB

Weight: 0.4 kg



SWIVEL CASTOR WITH BRAKE 40 X 20MM PU THREADED ROD
W040PSPB

Weight: 0.19 kg

FIXED WHEELS



FIXED CASTOR 260 X 82MM MASSIVE RUBBER
WHT10RFM

Weight: 3.2 kg



FIXED CASTOR 245 X 70MM RUBBER
WSHT10RF

Weight: 10.82 kg



FIXED CASTOR 100 X 40MM PU
W100PF

Weight: 0.76 kg



FIXED CASTOR 200 X 50MM PU
WH200PF

Weight: 3.6 kg



FIXED CASTOR 217 X 57MM MASSIVE RUBBER
WHT8RFM

Weight: 2.4 kg



FIXED CASTOR 250 X 100MM PU
WSH10PF

Weight: 20 kg



FIXED CASTOR 200 X 50MM RUBBER
WH200RF

Weight: 3.89 kg



FIXED CASTOR 125 X 25MM PU
W125PF

Weight: 0.7 kg



FIXED CASTOR 150 X 45MM PU
W150PF

Weight: 1.93 kg



FIXED CASTOR 200 X 30MM RUBBER
WE200RF

Weight: 2.54 kg



FIXED CASTOR 40 X 20MM PU
W040PF

Weight: 0.13 kg



FIXED CASTOR 50 X 24MM PU
W050PF

Weight: 0.17 kg

11



COLLECTION 11 · 13 PRODUCTS

TOOLS AND ACCESSORIES

Torque multipliers, motorcycle equipment and other tools that complete the Mammuth range.

5,800 Nm
torque multiplier

Set
body repair kits in a case

Bending equipment 5

Ramps 1

Wheel clamps 1

Attachments 1

Tools 2

Paddockstands 1

Hydraulic pumps 1

Motor miscellaneous 1

JACKS

HANDLING

PALLET TRUCKS

PRESSES

BIKE LIFTS

HYDRAULICS

WORKSHOP

LIFT TABLES

CRANES

CASTORS

TOOLS

BENDING EQUIPMENT



MAMMUTH HYDRAULIC PIPE BENDER 16 TON

HB16H

- ✓ 16 ton pressing force
- ✓ Interchangeable bending dies
- ✓ Manual operation
- ✓ Welded bottle jack

Capacity	16 ton
Weight	58 kg



HYDRAULIC PIPE BENDER ON WHEELS 16 TON
SW62

Weight: 46 kg



HYDRAULIC PIPE BENDER 12 TON
HB12H

Weight: 33 kg



MANUAL TUBE BENDER
TBJ22


Weight: 4.9 kg



HYDRAULIC BENDING TOOL 20 TON
CB200A

Weight: 31.5 kg

RAMPS



CAR RAMP KIT 2PCS 2000KG

CR01

Tire width max.	210 mm
Material	Steel
Load capacity max.	2000 kg
Weight	12.9 kg

WHEEL CLAMPS



MOTORCYCLE WHEEL CHOCK 680KG

ES400MH

- ✓ Easy to attach to the ground
- ✓ Self-clamping
- ✓ Also for in a bus or trailer

Weight	17 kg
--------	-------

ATTACHMENTS



SWIVEL ARM FOR ELECTRIC HOIST
HST1000
Weight: 6.5 kg

TOOLS



TORQUE MULTIPLIER 5800NM
WKM5800
Weight: 10.5 kg



TORQUE MULTIPLIER 3800NM
WKM3800
Weight: 7.5 kg

PADDOCKSTANDS



PADDOCK STAND REAR WHEEL 200KG
MMS45
Weight: 4.7 kg

HYDRAULIC PUMPS



HYDRAULIC PUMP WITH BATTERY 700 BAR 700ML
TEPC70B2

- ✓ 700 bar high pressure mobile pump unit
- ✓ Incl 2× 18V/5Ah battery
- ✓ Remote control (wired)
- ✓ Led display
- ✓ Overload protection

Voltage	18V DC
Frequency	50/60 Hz
Battery voltage	18V / 5.0Ah
Rated pressure	700 Bar (70Mpa)
Power	490 W
DC Output	18V / 3.0A
Charging time	± 100 min.
Oil capacity	0.7 L

MOTOR MISCELLANEOUS



MAMMUTH MX LIFT STAND FOR DIRT BIKE
MT150CM

- ✓ Anti-slip rubber platform
- ✓ Foot operation
- ✓ Load capacity 150 kg
- ✓ Steel construction

Load capacity	150 kg
Min. height	275 mm
Max. height	390 mm
Weight	6.8 kg

A – Z

PRODUCT CODES

AM01	Air pump for hydraulic fo...	56	FJ22AH	Pneumatic hydraulic jack ...	11	LT22HE	Electric lift table 2000kg ...	90
AWT200	Aluminium work platform	30	FJ25AS	Car jack 2 ton aluminium/...	7	LT22L	Mammuth Mobile lifting t...	91
BJ02H	Bottle jack 2 ton	20	FJ25HLAS	Car jack 2.5 ton aluminium...	6	LT3HHM	Mammuth Mobile lift tabl...	91
BJ03H	Bottle jack 3 ton	20	FJ30AHF	Pneumatic hydraulic jack ...	9	LT50L	Mammuth Mobile lifting t...	91
BJ05H	Bottle jack 5 ton	19	FJ30AHT	Pneumatic hydraulic jack ...	9	MBV2097	Mini ball valve for oil extra...	86
BJ08H	Mammuth bottle jack 8 ton	19	FJ30ALRRP	Rubber pad square mm	22	MC10050	Cylinder 100 ton stroke 5...	59
BJ12AHL	Bottle jack pneumatic 12 t...	21	FJ30EH	Mammuth battery floor ja...	11	MC1050	Cylinder 10 ton stroke 50...	59
BJ12H	Bottle jack 12 ton	19	FJ30EHB1	Mammuth battery floor ja...	10	MC15050	Cylinder 150 ton stroke 5...	62
BJ12MD	Mammuth bottle jack 12 t...	19	FJ40AHT	Pneumatic hydraulic jack ...	9	MC20050	Cylinder 200 ton stroke 5...	61
BJ20AHL	Mammuth pneumatic bot...	21	FJ40EHT	Mammuth battery floor ja...	12	MC2050	Cylinder 20 ton stroke 50...	59
BJ20H	Mammuth bottle jack 20 t...	18	FJ40EHTB1	Mammuth battery floor ja...	10	MC3050	Cylinder 30 ton stroke 50...	59
BJ30H	Bottle jack 30 ton	20	FJ50AHT	Pneumatic hydraulic jack ...	10	MC5050	Cylinder 50 ton stroke 50...	59
BJ50H	Bottle jack 50 ton	19	FJ80AHT	Pneumatic hydraulic jack ...	11	MCH100200A	Mammuth aluminium hyd...	58
BPW5	Parts washer brush with h...	84	FP75SPA	Foot pedal on air	47	MCH30150A	Hydraulic aluminum cylin...	58
C18L	Hydraulic quick disconn...	70	FS12	Forkliftseat adjustable	27	MCH60150A	Hydraulic aluminum cylin...	58
C18S	Hydraulic quick disconn...	70	GPT350	Table top cart 3 levels 35...	30	MF060HW	Furniture mover set 600kg	27
C19M	Hydraulic quick disconn...	70	HA1	Hydraulic air pump	68	MF180HW	Lift transporters 1800kg	28
CA2097	Vacuum pot including ho...	86	HA1S	Hose for hydraulic air pu...	68	MFL10	Flat cylinder 10 ton stroke...	69
CB200A	Hydraulic bending tool 2...	107	HA2	Hydraulic air pump plastic...	68	MFL100	Flat cylinder 100 ton strok...	69
CC37PL	Plastic car creeper	83	HA3	Hydraulic air pump plastic...	68	MFL100D	Flat cylinder double 100 t...	67
CC50B	Hydraulic cable cutting h...	73	HB12H	Hydraulic pipe bender 12 ...	107	MFL10D	Flat cylinder double 10 to ...	67
CE60	Punch driver with dies	71	HB16H	Mammuth hydraulic pipe ...	107	MFL20	Flat cylinder 20 ton strok...	69
CE1TP	Shop crane quicklift 1ton	95	HBR01	Hydraulic portable bead b...	87	MFL200	Flat cylinder 200 ton stro...	69
CE1TPW	Shop crane quicklift 1ton ...	93	HFP1ATV	Hydraulic footpump for A...	55	MFL20D	Flat cylinder double 20 to...	67
CE1TT	Shop crane 1 ton	93	HGP05	Gear puller hydraulic 5 ton	82	MFL30	Flat cylinder 30 ton strok...	69
CE2TT	Shop crane 2 ton	93	HGP10	Gear puller hydraulic 10 ton	82	MFL30D	Flat cylinder double 30 to...	67
CE6TP	Shop crane quicklift 600kg	95	HGP20	Gear puller hydraulic 20 t...	82	MFL50	Flat cylinder 50 ton strok...	69
CO400B	Hydraulic crimping tool 16...	82	HGP30	Gear puller hydraulic 30 t...	82	MFL50D	Flat cylinder 50 ton strok...	67
CP180B	Hydraulic hand pump 700...	66	HGP50	Hydraulic puller 50 ton	82	MHC10075	Hollow cylinder 100 ton st...	63
CP390	Hydraulic hand pump 700...	66	HH1S	Hydraulic hose hand pump	69	MHC20100	Hollow cylinder 20 ton str...	65
CP700	Hydraulic hand pump 700...	66	HMJ05HD	Hydraulic machine jack 5 t...	15	MHC20150	Hollow cylinder 20 ton str...	65
CP700B	Hydraulic hand pump 700...	66	HMJ08TJ	Hydraulic machine toe jac...	16	MHC2050	Hollow cylinder 20 ton str...	64
CPC100B	Cable cutting head 100mm	73	HMJ10HD	Hydraulic machine jack 10 ...	16	MHC30100	Hollow cylinder 30 ton str...	62
CPC22A	Hydraulic rebar cutter	73	HMJ25HD	Hydraulic machine jack 25...	16	MHC30150	Hollow cylinder 30 ton str...	64
CPC22ALB	Loose blades for hydraul...	88	HP2AS	Connecting hose with co...	70	MHC3050	Hollow cylinder 30 ton str...	63
CR01	Car ramp kit 2pcs 2000kg	108	HP2HC	Extension hose with cou...	70	MHC60100	Hollow cylinder 60 ton str...	63
CRS7P	Body repair kit cylinder 7 ...	77	HPF2097	Heat resistant foam for oi...	86	MHC60150	Hollow cylinder 60 ton str...	65
CW10HT	Loose wheel for hand trol...	99	HST1000	Swivel arm for electric hoist	109	MHC6050	Hollow cylinder 60 ton str...	64
CW10HTO	Loose wheel for hand trol...	100	HT1410	Stair climbing trolley iron ...	29	ML01	Motorcycle lift angle clamp	55
DBT01	Calibrator deburring wate...	87	HT25AL	Hand trolley aluminum 20...	29	ML01HAS	Motorcycle lift clamp ML7...	56
DBT02	Deburring set 16, 20, 25, ...	87	HT25IR	Hand trolley iron 300kg	29	ML13HS	Crosslift 135kg hydraulic	55
DD10C	Car dolly 450kg	29	HV10M	Vehicle positioning jack ...	28	ML13SW	Swivel castor for motorcy...	102
DT200LI	Drum trolley steel 200L d...	84	HV10MP	Vehicle positioning jack ...	28	ML13SWB	Swivel castor with brake f...	104
DT200LST	Drum trolley stainless ste...	84	HV10MR	Storage cart for vehicle p...	29	ML34B	Mammuth mini motorcycl...	55
EL10	Engine leveler 680kg	96	JG20SLS	Car jack 2 ton extra low	8	ML37KH	Motorcycle lift table scoo...	54
ES10	Engine stand 450kg	80	JG25SLN	Mammuth car jack 2.5 ton...	6	ML45KH	Motorcycle lift table sciss...	54
ES15F	Engine stand foldable 68...	80	JG27RP	Rubber pad	22	ML45PA	Motorcycle lift table parall...	53
ES1MH	Engine support 500kg	80	JG2SRP	Rubber pad rond 85mm	22	ML45PH	Motorcycle lift table parall...	53
ES400MH	Motorcycle wheel chock ...	108	JG30N	Car jack 3 ton	5	ML70HK	Motorcycle lifting jack 68...	55
ESC12V	Electric scissor jack 2000...	21	JG30SL	Car jack 3 ton extra low	7	ML75HA	Motorcycle lift table quad...	54
FE10C18	Fork lift extensions close...	26	JG30SLT	Mammuth car jack 3 ton e...	7	ML75HAS	Motorcycle lift table 675k...	53
FE10C24	Forklift extensions close...	26	JS02H3	Mammuth extra tall jack st...	12	MLE75HAS	Extension for motorcycle ...	56
FE12C18	Forklift extensions close...	27	JS03	Mammuth jack stands 3 ton	13	MLR75HAS	Roller plate for motorcycl...	56
FE12C24	Forklift extensions close...	26	JS04QS	Mammuth jack stand 4 to...	14	MLS75HAS	Widening set for motorcy...	56
FE14C18	Forklift extensions close...	27	JS06	Mammuth jack stands 6 ton	13	MMS45	Paddock stand rear wheel...	109
FE14C24	Forklift extensions close...	27	JS12	Mammuth jack stands 12 t...	13	MMS60	Motorcycle dolly 500kg	29
FE16C18	Forklift extensions close...	27	JS12H	Mammuth tall jack stand 1...	14	MPC05100	Cylinder 5 ton stroke 100...	61
FJ01ADP	Jack saddle 120mm	22	JS22P	Mammuth jack stands 22 ...	14	MPC05150	Cylinder 5 ton stroke 150...	62
FJ05H	Mammuth workshop jack ...	6	JS3A	Jack stands aluminium rac...	15	MPC0550	Cylinder 5 ton stroke 50...	62
FJ10H	Workshop jack 10 ton	5	KN108KG	Kneeling creeper 108kg	83	MPC100100	Cylinder 100 ton stroke 1...	60
FJ15AS	Car jack 1,5 ton aluminium...	8	KYQ300	Hydraulic crimping tool wi...	81	MPC100150	Cylinder 100 ton stroke 1...	60
FJ15LWA	Car jack 1,5 ton aluminium	5	LRJ8A	Air manual long ram jack 8...	73	MPC100200	Cylinder 100 ton stroke 2...	60
FJ20AH	Mammuth Pneumatic hyd...	12	LRJ8H	Long cylinder ram jack 8 t...	73	MPC10050	Cylinder 100 ton stroke 5...	59
FJ20LWAMINI	Miniature aluminum gara...	8	LT11HE	Electric lift table 1000kg 2...	90	MPC10100	Cylinder 10 ton stroke 10...	60

MPC10150	Cylinder 10 ton stroke 15...	61	PB4646S	Hole punch square 46 × ...	72	SK03Z	Transport rollers 3 ton st...	25
MPC1050	Cylinder 10 ton stroke 50...	60	PB6868S	Punch die square 68 × 68...	71	SK04DP	Transport rollers double ...	26
MPC150100	Cylinder 150 ton stroke 1...	61	PB9292S	Punch die square 92 × 92...	71	SK04ZP	Transport rollers 4 ton st...	24
MPC150200	Cylinder 150 ton stroke 2...	60	PBR01S	Draw stud for round punc...	74	SK06V	Transport rollers 6 ton	24
MPC20050	Cylinder 200 ton stroke 5...	62	PBR07	Draw stud for round punc...	74	SK08DP	Transport rollers 8 ton do...	25
MPC20100	Cylinder 20 ton stroke 10...	61	PBS01	Draw stud for rectangular...	74	SK08ZP	Transport rollers 8 ton st...	24
MPC20150	Cylinder 20 ton stroke 15...	61	PBS02	Draw stud for square pun...	75	SK12DP	Transport rollers 12 ton d...	25
MPC2050	Cylinder 20 ton stroke 50...	61	PBS03	Draw stud for square pun...	75	SK12LPE	Loose wheel 115 × 60mm ...	100
MPC300100	Cylinder 300 ton stroke 1...	62	PCS1	Pneumatic mechanics seat	83	SK12V	Transport rollers 12 ton	25
MPC30050	Cylinder 300 ton stroke 5...	62	PHE04	Body repair kit 4 ton hydr...	77	SK12ZP	Transport rollers 12 ton st...	24
MPC30100	Cylinder 30 ton stroke 10...	60	PHE10	Body repair kit 10 ton hyd...	77	SK18DP	Transport rollers 18 ton d...	25
MPC30150	Cylinder 30 ton stroke 15...	61	PHE20	Body repair kit 20 ton hyd...	77	SK18ZP	Transport rollers 18 ton st...	25
MPC30200	Cylinder 30 ton stroke 20...	60	PHE20SP	Flange separator 500kg	77	SK20MM	Skate kit 20 ton	25
MPC3050	Cylinder 30 ton stroke 50...	60	PPW01SB	Flexibele hose for parts ...	85	SK24Z	Transport rollers 24 ton s...	26
MPW50100	Cylinder 50 ton stroke 10...	59	PPW01SS	Flexible hose for degreas...	85	SK25L115	Seal set for pallet truck P...	37
MPC50150	Cylinder 50 ton stroke 15...	59	PPW20E	Pump for parts washer	84	SK30MM	Skate Kit, 30 Ton	26
MPC50200	Cylinder 50 ton stroke 20...	59	PPW20EC	Pump for parts washer	84	SK60MM	Skate Kit, 60 Ton	26
MPC5050	Cylinder 50 ton stroke 50...	61	PPW20EF	Filter for pump from part...	85	SKS20	Transport rollers 2 ton st...	24
MS150WM	Motorcycle mover 150kg	30	PS05EVG	Mammuth semi electric s...	35	SKS40	Transport rollers 4 ton st...	24
MT150CM	Mammuth MX lift stand fo...	110	PS10M16	Stacker manual 1000kg 16...	35	SP100HEL	Electric shop press with h...	39
MW10I	Loose wheel 260 × 85mm...	99	PS10S	Pallet truck scissor lift 100...	37	SP100XHAM	Workshop press air hydra...	42
OC2097	Oil cup for oil extraction u...	86	PS10SB	Semi-electric high-lift pal...	33	SP12HH	Shop press hand hydraul...	46
OCH22V20	Mammuth hydraulic oil 20...	88	PS15E	Mammuth electric stacker...	34	SP12HL	Shop press 12 ton table ...	45
OD16	Oil drain pan with spout	83	PS15ELI	Mammuth electric stacker...	35	SP15OHEL	Electric shop press with h...	40
OD2081	Pneumatic oil extractor 65L	78	PS2097	Probe sleeve for oil extra...	86	SP150PB	Mammuth press Blocks fo...	48
OD2085	Pneumatic oil extractor 65L	78	PT10L115L	Pallet truck 1000kg 115cm ...	32	SP15HL	Shop press hand hydraul...	41
OD2097	Pneumatic oil extractor 6...	78	PT20BW	Loose wheel 180 × 50mm...	99	SP200HEL	Mammuth electric worksh...	41
OD30P	Portable economic oil dra...	78	PT20E	Mammuth electric pallet t...	33	SP20H	Shop press hand hydraul...	41
OD65PC	Oil drain dolly with hand p...	83	PT20ESG	Mammuth galvanized ele...	34	SP20HA	Shop press air hydraulic 2...	45
ODT02	Oil drip tray	83	PT20L115	Pallet truck 2000kg singl...	33	SP20HEM	Mammuth 20 ton electric ...	40
OE2097	Corner bracket for oil ext...	86	PT20L200	Pallet truck 2000kg long ...	32	SP20HH	Shop press hand hydraul...	46
OEP5701	Suction probe for oil extr...	85	PT20NW	Loose wheel 80 × 90mm ...	99	SP20HV	Shop press with footped...	45
OEP5702	Suction probe for oil extr...	86	PT20SE	Mammuth semi-electric p...	34	SP20XH	Workshop press hydraulic...	43
OEP6701	Suction probe for oil extr...	85	PT25C	Pallet Truck Chock	37	SP20XHE	Mammuth 20 ton electric ...	40
OEP6702	Suction probe for oil extr...	86	PT25L095	Pallet truck 2500kg short ...	33	SP20XHM	Workshop press hydraul...	43
OEP71000	Suction probe for oil extr...	85	PT25L115	Pallet truck 2500kg doubl...	32	SP30HAM	Shop press air hydraulic ...	44
OEP8700	Suction probe for oil extr...	85	PT25L115G	Pallet truck 2500kg galva...	33	SP30HAMB	Workshop press Wide W...	42
OHCH15V	Hydraulic oil Mammuth C...	88	PT25SS	Pallet truck with scale stai...	36	SP30HEM	Mammuth 30 ton electric ...	39
OKCH68	Jack oil Mammuth CH 68 1L	88	PT25W115	Pallet truck with scale 25...	36	SP30XHAM	Workshop press air hydra...	43
OPML70HK	Oil pump for motorcycle li...	56	PTK10	Mammuth mobile gantry ...	94	SP50HAM	Shop press air hydraulic ...	44
OT5CO	Oil drainer for barrels	78	PTK10K1	Mammuth mobile gantry ...	96	SP50HEM	Mammuth 50 ton electric ...	39
P34BAP	Adaptor for mini motorcy...	56	PTK10K2	Mammuth mobile gantry ...	94	SP50HHV	Shop press with footped...	44
PART10WDG	Degreaser gun	85	PTK20	Mammuth mobile gantry ...	94	SP50XHM	Workshop press hydraul...	42
PART15ELB10	Lithium battery for electri...	37	PTK20K1	Mammuth mobile gantry ...	96	SP75HAL	Shop press air hydraulic 7...	46
PART15ELB15	Lithium battery for electri...	37	PTK20K2	Mammuth mobile gantry ...	95	SP8AS	Shop press accessory set	47
PART15HLPS	Protection screen for wor...	50	PW03E	Parts washer 13 liter	81	SP8ASHAM	Mammuth press pins with...	47
PART20HPS	Protection screen for wor...	50	PW10W	Parts washer wall-model 1...	81	SPB100HL	Press block for SP100HAL...	48
PART30HAMP	Protection screen for wor...	50	PW20E	Parts washer 90 liter	81	SPB20HL	Press block for SP20HAL ...	48
PART50HAMP	Protection screen for wor...	50	PW40E	Parts washer 40 gallon	81	SPB30HL	Press block for SP30HAL ...	48
PB0200R	Punch Die, Round, 20mm	73	RC15	Roller crowbar	26	SPB50HA	Press block for SP50HA	48
PB0220R	Punch die round 22mm	74	RP01JS	Rubber jack saddle for 2T...	15	SPB50HL	Press block for SP50HAL ...	48
PB0262R	Punch Die, Round, 26,2mm	74	S2097	Strainer for oil extraction ...	85	SPB75HL	Press block for SP75HAL ...	48
PB0275R	Punch Die, Round, 27,5mm	74	SDS05	Screw jack 5 ton	20	SPC75HEL	Cylinder for SP75HEL	51
PB0340R	Punch Die, Round, 34mm	74	SDS10	Screw jack 10 ton	20	SPM100HAL	Manometer for shop pres...	49
PB0430R	Punch Die, Round, 43mm	73	SDS12F	Foldable jack stand 12 ton	15	SPM100HEL	Manometer for shop pres...	50
PB0490R	Punch Die, Round, 49mm	74	SDS15	Screw jack 15 ton	20	SPM12HH	Manometer for shop pres...	49
PB0510R	Punch Die, Round, 51mm	74	SJ015	Mechanical steel jack 150...	18	SPM150HEL	Manometer for shop pres...	49
PB0800R	Punch die round 80mm	73	SJ030	Mechanical steel jack 300...	18	SPM15HHL	Manometer for shop pres...	50
PB10R	Pull cylinder 10 ton hydra...	72	SJ050	Mechanical steel jack 500...	18	SPM20HH	Manometer for shop pres...	49
PB1685S	Punch die square 164 × 8...	72	SK01LPE	Loose wheel 90 × 85mm ...	100	SPM20HHL	Manometer for shop pres...	50
PB20R	Pull back cylinder hydraul...	72	SK01LPU	Loose wheel 80 × 70mm ...	99	SPM50HA	Manometer for shop pres...	49
PB3511S	Punch die square 35 × 11...	71	SK02MINI	Furniture lifter set 300kg	24	SPM50HAL	Manometer for shop pres...	49
PB3552S	Punch die square 35 × 52...	72	SK02VY	Transport rollers 2 ton	25	SPM50HEL	Manometer for shop pres...	49
PB3565S	Punch die square 35 × 65...	72	SK03V	Transport rollers 3 ton	25	SPM75HAL	Manometer for shop pres...	49

SPM75HEL	Manometer for shop pres...	49	W050PF	Fixed castor 50 × 24mm PU	105	WHR06	Loose wheel 150 × 65mm...	100
SPP10CH	Hydraulic hand pump for ...	47	W050PS	Swivel castor 50 × 27mm ...	102	WHR08	Loose wheel 200 × 67mm...	99
SWG2	Hydraulic pipe bender on...	107	W050PSDB	Swivel castor with brake 5...	103	WHR10	Loose wheel 250 × 70mm...	100
SWTJ5N	Swivel castor for transmis...	103	W050PSP	Swivel castor 50 × 23mm ...	102	WHR12	Loose wheel 300 × 80m...	100
SYK15	Punch driver kit	71	W050PSPB	Swivel castor with brake 5...	104	WHR14	Loose wheel 350 × 80m...	100
T18C	T-Joint for extension hose	70	W100PF	Fixed castor 100 × 40mm ...	104	WHR16	Loose wheel 400 × 80m...	99
T18CM	T-joint with pressure gau...	70	W100PS	Swivel castor 100 × 40mm...	101	WHT10RFM	Fixed castor 260 × 82mm...	104
TBJ22	Manual tube bender	107	W100PSDB	Swivel castor with brake 1...	103	WHT10RSM	Swivel castor 260 × 82m...	101
TC250	Cable cutter 240mm^2	88	W125PF	Fixed castor 125 × 25mm ...	105	WHT8RFM	Fixed castor 217 × 57mm ...	105
TC45HW	Pickup crane 450kg with ...	97	W125PS	Swivel castor 125 × 25mm...	102	WHT8RSM	Swivel castor 217 × 57mm ...	101
TC500	Cable cutter 500mm^2	88	W125PSDB	Swivel castor with brake 1...	104	WK12AL	Punch driver with rotatin...	71
TC90H	Pickup crane 900kg	97	W150PF	Fixed castor 150 × 45mm ...	105	WKM3800	Torque multiplier 3800nm	109
TEP700B	Electric hydraulic pump	68	W150PS	Swivel castor 150 × 45mm...	102	WKM5800	Torque multiplier 5800nm	109
TEPC70B2	Hydraulic pump with batt...	110	W150PSDB	Swivel castor with brake 1...	103	WSHT08P	Loose wheel 200 × 100m...	99
TFP800	Hydraulic foot pump 700 ...	66	WD01M	Mammuth wheel dolly wit...	79	WSHT10PF	Fixed castor 250 × 100m...	105
TJ10	Transmission jack 1000kg	17	WD15HS	Wheel dolly 1.5 ton with 4...	79	WSHT10PL	Loose wheel 250 × 100m...	99
TJ3	Transmission jack 300kg	18	WD15HW	Wheel dolly 1.5 ton with 5...	79	WSHT10PS	Swivel castor 250 × 100m...	101
TJ5	Transmission jack 500kg	16	WE200RF	Fixed castor 200 × 30mm...	105	WSHT10RF	Fixed castor 245 × 70mm ...	104
TJ5D	Transmission jack 500kg ...	17	WE200RS	Swivel castor 200 × 30m...	102	WSHT10RS	Swivel castor 245 × 70m...	101
TJ6	Transmission jack 600kg	17	WE200RSDB	Swivel castor with brake 2...	103	WWF25	Loose wheel 160 × 50mm...	101
TPA8	Hydraulic punch driver	71	WH200PF	Fixed castor 200 × 50mm...	105	WWF35	Loose wheel 200 × 55m...	100
VP2097	Vacuum pot from OD2097	86	WH200PS	Swivel castor 200 × 50m...	101	WWF45	Loose wheel 255 × 60m...	100
W040PF	Fixed castor 40 × 20mm PU	105	WH200PSB	Swivel castor with brake 2...	103	YQK300	Hydraulic crimping tool 16...	81
W040PS	Swivel castor 40 × 22mm ...	102	WH200RF	Fixed castor 200 × 50mm...	105	YQK70	Hydraulic crimping tool 4...	81
W040PSDB	Swivel castor with brake 4...	104	WH200RS	Swivel castor 200 × 50m...	102	ZHL22	Pneumatic balloon jack 2 ...	20
W040PSP	Swivel castor 40 × 20mm ...	102	WH200RSB	Swivel castor with brake 2...	104			
W040PSPB	Swivel castor with brake 4...	104	WH200RSDB	Swivel castor with double...	103			

BUILT TO LIFT.

Lifting, hydraulic and workshop equipment for professionals. Ask your Mammuth dealer for advice, a demonstration and service.



© 2026 Mammuth
Specifications subject to change